

## **TARIFF DISTRIBUTION**

FILE PACKAGE NO.: NC-15-0025

DATE: January 5, 2015

STATE: NORTH CAROLINA

EFFECTIVE DATE: 01/05/2015

TYPE OF DISTRIBUTION: Approved

PURPOSE: Dataphone Select-A-Station Service cleanup

<b><u>TARIFF SECTION</u></b>	<b><u>PAGE NUMBER</u></b>	<b><u>PAGE REVISION</u></b>
H002	13	0001
H003	10.1.2	0004
H003	10.1.4	0001
H004	4	0001
H004	5	0001
H006	1	0001
H007	15	0001
H103	5.29	0002
H103	5.30	0002
H106	1	0001
H106 Cont. (pg)	1	0001
H6 Cont. (pg)	1	0001
H Book Cont (pg)	1	0003

---

## B2. REGULATIONS

### B2.5 Definitions (Cont'd)

#### CONFORMANCE NUMBER

The term "Conformance Number" denotes an identifying number assigned by the Company to a particular model of conforming answering device incorporating an authorized protective connecting module when that model or device is in conformance with the provisions set forth by the Company in its technical reference for conforming answering devices.

#### CONFORMING ANSWERING DEVICE

The term "Conforming Answering Device" denotes a device which automatically answers incoming calls; transmits a prerecorded voice message or appropriate audible signal to the calling party; records a voice message from the calling party if so designed and arranged; and automatically disconnects from the line in a prearranged manner on completion of the last of the functions for which it was designed and arranged as described in this paragraph. The conforming answering device may include remote interrogation and/or device function control. A conforming answering device must incorporate an authorized protective connecting module and must bear a valid conformance number.

#### CONNECTING ARRANGEMENT

The term "Connecting Arrangement" denotes the equipment provided by the Company to accomplish the direct electrical connection of customer-provided facilities with the facilities of the Company, or the direct electrical connection of Company facilities.

#### CONTRACT

The term "Contract" refers to the service agreement between a customer and the Company under which facilities for communication between specified locations, for designated periods, and for the use of the customer and the authorized users specifically named in the contract are furnished in accordance with the provisions of this *Guidebook*.

(T)

#### COORDINATING FACILITIES

The term "Coordinating Facilities" denotes those used for communication between stations on program networks to enable the customer to pass information for the proper handling of his program.

#### CUSTOMER

The term "Customer" denotes the person, firm or corporation which orders service and is responsible for the payment of charges and compliance with Company regulations. No one may be a customer for a private line service who does not have a communication requirement of his own for its own use except as provided in B2.2.1.G. or except that a customer for a private line service jointly used in accordance with B3.1.5 may order the addition of service points to meet the communications requirements of a joint user of such service where such additional service points are required to extend the transmission of communications to or from the private line service for which the customer has a communications requirement of his own.

#### DATA ACCESS ARRANGEMENT

The term "Data Access Arrangement" denotes a connecting arrangement for use on a Private Line Service arranged for data transmission.

#### (DELETED)

(D)

## B3. CHANNELS AND EQUIPMENT

### B3.4 Rates and Charges

#### B3.4.1 Local Channels

##### A. Voice Grade

Per point of termination

		Monthly Rate	Nonrecurring Charge		USOC
			First	Additional	
1.	Voice				
	(a) Type 2230	\$38.00	\$145.60	\$145.60	P2JUX
	(b) Type 2231	48.00	162.25	162.25	P2JHX
	(c) Type 2432	69.00	203.65	203.65	P2JQX
	(d) Type 2434	9.00	166.50	166.50	P2JGX
	(e) Type 2435	75.00	365.00	365.00	P2JWX
	(f) Type 2261 <sup>1</sup>	39.00	150.00	150.00	P2JLX
	(g) Type 2462 <sup>1</sup>	91.00	191.45	191.45	P2JRX
2.	Data				
	(a) Type 2260	46.00	148.88	148.88	P2JKX
	(b) Type 2463	83.00	203.66	203.66	P2JMX
	(c) Type 2464	83.00	203.66	203.66	P2JNX

#### B3.4.2 Non-Wire Center Connected Channels

##### A. Served Direct

1. Not routed via the central office, limited to one airline mile or less

		Monthly Rate	Nonrecurring Charge		USOC
			First	Additional	
	(a) Series 2000	\$18.00	\$156.00	\$156.00	SDD2X

**Note 1:** Effective April 1, 2013, Dataphone Select-A-Station Service was withdrawn.

(N)

## B3. CHANNELS AND EQUIPMENT<sup>1</sup>

### B3.4 Rates and Charges (Cont'd)

#### B3.4. 3 Continuous Property Channels

##### A. Rates - Monthly Service

1. For use with terminal equipment (Cont'd)
  - b. For a channel between different buildings on same continuous property, or to connect a channel between different buildings on same continuous property to a Local channel<sup>2,3</sup>
    - (1) First 1/10 mile

		Nonrecurring	Monthly	
		Charge	Rate	USOC
(a)	Type 2230 (2101/2001) <sup>4</sup>	\$211.10	\$2.05	1LP+E
(b)	Type 2463 (2120/2020) <sup>4</sup>	282.00	8.85	1L6+E
(c)	Type 2231 (2112/2012) <sup>4</sup>	190.00	1.90	1LV+E
(d)	Type 2432 (2114/2014) <sup>4</sup>	271.00	11.35	1LT+E
(e)	Type 2260 (2121/2021) <sup>4</sup>	179.00	2.75	1L6+E
(f)	Type 2464 (2122/2022) <sup>4</sup>	281.90	11.10	1L6+E
(g)	Type 2261 (2140) <sup>4,5</sup>	179.00	2.75	1L6BE
(h)	Type 2462 (2141) <sup>4,5</sup>	281.90	8.85	1L6DE
(2)	Each additional 1/10 mile			(C)
(a)	Type 2230 (2101/2001)	-	1.70	1LP+E
(b)	Type 2463 (2120/2020)	-	3.05	1L6+E
(c)	Type 2231 (2112/2012)	-	1.55	1LV+E
(d)	Type 2432 (2114/2014)	-	3.05	1LT+E
(e)	Type 2260 (2121/2021)	-	1.55	1L6+E
(f)	Type 2464 (2122/2022)	-	3.05	1L6+E
(g)	Type 2261 (2140) <sup>5</sup>	-	1.70	1L6BE
(h)	Type 2462 (2141) <sup>5</sup>	-	3.05	1L6DE

2. Service Connection Charges

- a. Service Ordering Charges are applicable, per service order, for receiving and recording information and/or taking action in connection with a customer's request and processing the necessary data. These charges include the engineering design function. Only one Service Ordering Charge applies for (1) a two point channel service, (2) a multi-point channel service where all points are ordered and installed at the same time, and (3) more than one channel service ordered and installed at the same time of the same type for termination at the same premises.

**Note 1:** The material appearing on this page is the result of a restructure of this section.

**Note 2:** When a channel between different buildings on the same continuous property or within the same building requires a connection to the serving wire center, then a charge for each Local Channel required will apply.

**Note 3:** Reference B3.1.3.A.5 concerning these channels.

**Note 4:** The nonrecurring charge is per Channel.

**Note 5:** Effective April 1, 2013, Dataphone Select-A-Station Service was withdrawn.

(N)

## **B4. EQUIPMENT**

### **B4.2 Voice Communicating Equipment (Cont'd)**

**B4.2.3 Switching Arrangements (Obsoleted, See B103.11.3) (Cont'd)**

### **B4.3 Data Communicating Equipment**

**B4.3.1 (DELETED)**

**B4.3.2 (DELETED)**

(D)

---

## B4. EQUIPMENT

### B4.3 Data Communicating Equipment (Cont'd)

#### B4.3.2 (DELETED) (Cont'd)

(D)

#### B4.3.3 (DELETED)

Telemetry Alarm Bridging Service (TABS) now appears in B3.22.

(T)

AT&T NORTH CAROLINA

PRIVATE LINE GUIDEBOOK

First Revised Page 1

NC-15-0025

EFFECTIVE: January 5, 2015

---

**B6. (DELETED)**

(D)

CONTENTS

---

**B6. (DELETED)**

(D)

Pages 1.1 through 6 are hereby withdrawn and deleted in their entirety from this Guidebook.

(N)

## B7. DIGITAL NETWORK SERVICE

### B7.3 MegaLink Channel Service (Cont'd)

#### B7.3.1 General (Cont'd)

- E. The customer may activate any number or combination of channels within a MegaLink channel service package within the limitations set forth in F. following. Channels may be activated coincident with initial service or at any time subsequent to basic system installation. Once activated, a channel is subject to a minimum service period in accordance with the contract terms. Features (channels) activated under month-to-month rates will have a minimum service period of one month.
- F. The total number of voice grade equivalent channels activated by the customer may not exceed the capacity of the basic system. Additionally, there are some necessary restrictions in total system capacities where certain types of channel services are channelized. For example, some channelizing equipment for SynchroNet service may require two voice grade equivalent channels per channel provided by the Company. This would reduce a system's stated capacity substantially. The Company will notify the customer when a system's capacity is affected. (C)
- G. Central Office channelization generally provides analog to digital conversion to permit individual exchange services and private line channel services to be transported over digital high capacity facilities. In addition, this equipment permits connection to required testing facilities at designated hub or node locations for some digital offerings, such as SynchroNet service. This channelization is also intended for use at Company locations where different high capacity digital network links terminate in the same central office and must be converted to individual analog or digital channels before individual service links can be cross-connected. System capacities below are provided in groups of twenty-four voice grade equivalent channels, and are subject to the limits as set forth in F. preceding.
- H. Channelization on a customer's premises must be provided by the customer. Customer Premises channelization equipment, and any other associated network termination equipment, is available through various vendors, including Company, on a detariffed basis. Joint provisioning of channelized services introduces joint responsibilities between the customer and the Company.
  - 1. Responsibilities of the Company:
    - a. The Company will endeavor to activate its portion of joint service in a timely manner on the negotiated date to support installation requirements.
    - b. The Company will provide the customer with information regarding the type and the manufacturer of Central Office (C.O.) channelization equipment to be used in each application.
    - c. The Company will limit its selection of central office equipment to avoid operational and administrative difficulties associated with a multi-vendor central office environment.
    - d. The Company reserves the right to change its equipment vendors should equipment availability, price or technological advantages make such a change attractive or necessary.
    - e. The Company will notify the customer, generally a minimum of six months in advance, of any need to change its central office equipment to allow the customer sufficient time to respond, make any necessary changes, and schedule cooperative testing for cutover if required.

## B103. OBSOLETE SERVICE OFFERINGS - CHANNELS AND EQUIPMENT

### B103.3 Classification and Rates - Interexchange - IntraLATA (Cont'd)

#### B103.3.2 Series 2000 Channels (Cont'd)

##### C. Types And Descriptions (Cont'd)

1. Station Terminals for use with terminal equipment are described following (Types 2001 through 2041) (Cont'd)
  - f. Type 2021
 

A four-wire or two-wire<sup>1</sup> interface with effective two-wire facilities engineered for a 1000 Hz net loss of 16dB. Generally used in the provision of half duplex data services.
  - g. Type 2022
 

A two-wire interface with effective four-wire facilities engineered for a 1000 Hz net loss of 16dB. Generally used in the provision of half duplex data services.
  - h. Type 2040
 

A two-wire interface with effective two-wire facilities for use in Telemetry/Alarm Bridging Service (TABS).
  - i. Type 2041
 

A four-wire interface with effective four-wire facilities for use in Telemetry/Alarm Bridging Service (TABS).

##### D. Rates - Monthly Service

(Obsoleted November 22, 1997, Type 4: Not available for new installations, moves or transfers. Existing customers may add channels only to the extent that they are available.)

1. For use with Terminal Equipment
  - a. For Station Terminals, Per Station Terminal
    - (1) Band 1

		Nonrecurring Charge	Monthly Rate	USOC
(a)	Type 2230 (2001)	\$122.25	\$19.15	9B1++
(b)	Type 2231 (2012)	136.25	30.40	XB1++
(c)	Type 2432 (2014)	171.00	42.45	4S1++
(d)	Type 2434 (2015)	166.50	9.90	4S1++
(e)	Type 2463 (2020)	171.00	43.75	UB1++
(f)	Type 2260 (2021)	125.00	24.35	YB1++
(g)	Type 2464 (2022)	171.00	50.55	OB1++
(h)	Type 2261 <sup>2</sup> (2040)	126.00	17.70	OB1++
(i)	Type 2462 <sup>2</sup> (2041)	206.00	48.70	UB1++
(2)	Band 2			(C)
(a)	Type 2230 (2001)	181.50	58.05	9B2++
(b)	Type 2231 (2012)	196.50	65.35	XB2++
(c)	Type 2432 (2014)	230.25	81.30	4S2++
(d)	Type 2434 (2015)	228.50	48.85	4S2++
(e)	Type 2463 (2020)	230.25	82.65	UB2++
(f)	Type 2260 (2021)	206.75	60.05	YB2++
(g)	Type 2464 (2022)	231.25	89.40	OB2++
(h)	Type 2261 <sup>2</sup> (2040)	194.50	61.20	OB2++
(i)	Type 2462 <sup>2</sup> (2041)	250.00	85.85	UB2++
				(C)

**Note 1:** Transmission data characteristics specified can only be met and guaranteed for the two-wire interface when the airline distance from the serving central office to the customer's premises is one mile or less and the interoffice channel is not greater than four airline miles between serving central offices. This restriction is waived where a customer's data set limits transmission power levels to 0.0 dBm peak and -13 dBm average power over a three second period.

**Note 2:** Effective April 1, 2013, Dataphone Select-A-Station Service was withdrawn.

(N)

## B103. OBSOLETE SERVICE OFFERINGS - CHANNELS AND EQUIPMENT

### B103.3 Classification and Rates - Interexchange - IntraLATA (Cont'd)

#### B103.3.2 Series 2000 Channels (Cont'd)

##### D. Rates - Monthly Service (Cont'd)

###### 1. For use with Terminal Equipment (Cont'd)

###### a. For Station Terminals, Per Station Terminal (Cont'd)

###### (3) Band 3

		Nonrecurring	Monthly	
		Charge	Rate	USOC
(a)	Type 2230 (2001)	\$181.50	\$77.80	9B3++
(b)	Type 2231 (2012)	196.50	86.65	XBZ++
(c)	Type 2432 (2014)	230.25	101.15	4S3++
(d)	Type 2434 (2015)	228.50	68.55	4S3++
(e)	Type 2463 (2020)	230.25	102.45	UB3++
(f)	Type 2260 (2021)	206.75	84.75	YB3++
(g)	Type 2464 (2022)	231.25	109.20	OB3++
(h)	Type 2261 <sup>1</sup> (2040)	194.50	84.75	OB3++
(i)	Type 2462 <sup>1</sup> (2041)	250.00	107.80	UB3++
(4)	Band 4			(C)
(a)	Type 2230 (2001)	181.50	122.80	9B4++
(b)	Type 2231 (2012)	196.50	136.70	XB4++
(c)	Type 2432 (2014)	230.25	146.15	4S4++
(d)	Type 2434 (2015)	194.50	84.75	4S4++
(e)	Type 2463 (2020)	230.25	147.45	UB4++
(f)	Type 2260 (2021)	206.75	134.80	YB4++
(g)	Type 2464 (2022)	231.25	155.10	OB4++
(h)	Type 2261 <sup>1</sup> (2040)	194.50	134.80	OB4++
(i)	Type 2462 <sup>1</sup> (2041)	250.00	157.90	UB4++

###### 2. Signaling Arrangements

###### a. Type 2000

###### (1) Per Station Terminal

(a) E&M Type	35.75	5.15	SLM
--------------	-------	------	-----

**Note 1:** Effective April 1, 2013, Dataphone Select-A-Station Service was withdrawn.

(N)

AT&T NORTH CAROLINA

PRIVATE LINE GUIDEBOOK

First Revised Page 1

NC-15-0025

EFFECTIVE: January 5, 2015

---

**B106. (DELETED)**

(D)

CONTENTS

---

**B106. (DELETED)**

(D)

Pages 2 through 5 are hereby withdrawn and deleted in their entirety from this Guidebook.

(N)

---

## TABLE OF CONTENTS

- B1. APPLICATION OF TARIFF
- B2. REGULATIONS
- B3. CHANNELS
- B4. EQUIPMENT
- B5. CONSTRUCTION CHARGES
- B6. **(DELETED)** (D)
- B7. DIGITAL NETWORK SERVICE
- B8. RESERVED FOR FUTURE USE
- B9. OPTICAL NETWORK SERVICE
- B100. OBSOLETE SERVICE OFFERINGS
- B101. OBSOLETE SERVICE OFFERINGS - APPLICATION OF TARIFF
- B102. OBSOLETE SERVICE OFFERINGS - REGULATIONS
- B103. OBSOLETE SERVICE OFFERINGS - CHANNELS
- B104. OBSOLETE SERVICE OFFERINGS - EQUIPMENT
- B105. OBSOLETE SERVICE OFFERINGS - CONSTRUCTION CHARGES
- B106. **(DELETED)** (D)
- B107. OBSOLETE SERVICE OFFERINGS - DIGITAL NETWORK SERVICE
- B108. OBSOLETE SERVICE OFFERINGS – RESERVED FOR FUTURE USE
- B109. OBSOLETE SERVICE OFFERINGS - OPTICAL NETWORK SERVICE