
A40. FAST PACKET TRANSPORT SERVICES

CONTENTS

A40.1	Frame Relay Service (Obsoleted, See Section A140)	1	
A40.2	Reserved for Future Use	1	
A40.3	(DELETED)		
A40.4	(DELETED)	1	
A40.5	Broadband Line Service	1	
A40.5.1	General	1	
A40.5.2	Terms and Conditions	1	
A40.5.3	Fast Packet Option (FPO)	3	
A40.6	Reserved for Future Use	5	
A40.7	Reserved for Future Use	5	
A40.8	(DELETED)	5	(D)
A40.9	Miscellaneous Charges For Fast Packet Transport Services	5	
A40.9.1	General	5	
A40.9.2	Due Date Change Charges	5	
A40.9.3	Expedite Request Charges	5	
A40.9.4	Cancellation Charges	5.2	
A40.10	Fast Packet Services Payment Plan	5.3	
A40.10.1	General	5.3	
A40.10.2	Application of Rates and Charges	5.3	
A40.10.3	Additions	5.3	
A40.10.4	Disconnects	6	
A40.10.5	Requests for Changes in Length of Optional Payment Period	6	
A40.10.6	Renewal Options	7	
A40.10.7	Transfer of Service	7	
A40.10.8	Deferred Payment	8	
A40.10.9	Prepayment	8	
A40.10.10	Moves of Service(s) Under Fast Packet SPP	9	
A40.11	BellSouth Video Conferencing Service (Obsoleted, See Section A140)	9	

A40. FAST PACKET TRANSPORT SERVICES

CONTENTS

A40.12	Customer Network Management (Obsoleted, See Section A140)	9	(T)
A40.13	BellSouth Metro Ethernet Service	9	(T)
A40.13.1	General	9	(T)
A40.13.2	Terms and Conditions	10	(T)
A40.13.3	Rates and Charges	28	

A40. FAST PACKET TRANSPORT SERVICES

A40.1 Frame Relay Service (Obsoleted, See Section A140)

A40.2 Reserved for Future Use

A40.3 (DELETED)

(D)

A40.4 (DELETED)

A40.5 Broadband Line Service

A40.5.1 General

- A. Broadband Line Service provides the customer with a local connection to high speed frame or cell-based switched services.
- B. Broadband Line Service is available under options. Rates, charges, terms and conditions specific to these options are in later subsections of this section. The Fast Packet Option is described in A40.5.3.
- C. Network interface specifications for Broadband Line Service are contained in BellSouth Technical Reference 73590. This publication is available from:
 - Documentation Operations
 - 20th Floor
 - 600 North 19th Street
 - Birmingham, AL 35203
- D. Broadband Line Service, as provided for in this section, is offered for intraLATA use only and may not be utilized to connect to a Class 5 office for use in local exchange service transmissions.
- E. The terms, conditions and rates specified herein are in addition to the applicable terms, conditions and rates specified in other sections of this and other guidebooks of the Company.
- F. The rates and charges set forth for Broadband Line Service provide for the furnishing of service where suitable facilities are available. Where special construction of facilities is necessary, special construction charges may apply as set forth in Section A5.

A40.5.2 Terms and Conditions

- A. Explanation of Terms
 - 1. Broadband Line
The facility between the customer's premises and the customer's serving wire center.
 - 2. Broadband Line Extension
When a customer's serving wire center is not a Serving Area Point, a Broadband Line Extension is used to connect the serving wire center to the closest Serving Area Point. The Broadband Line Extension is associated with a Broadband Line, or as specified otherwise herein this guidebook.
The Broadband Line Extension is measured on a per mile basis in airline miles from a central office that is not a Serving Area Point to a Serving Area Point.
 - 3. Network Serving Area
Certain Company central offices are designated Serving Area Points. A Network Serving Area is comprised of all the Serving Area Points in a geographic area.
 - 4. Serving Area Point
A Company central office that is designated as a member of the Network Serving Area.
- B. Basis of Offering
 - 1. Detailed monthly billing is not provided.
 - 2. Suspension of service is not allowed.
 - 3. The minimum service period is one month.

Pages 1.1 through 1.4 are hereby deleted in their entirety and removed from this Guidebook

A40. FAST PACKET TRANSPORT SERVICES

A40.5 Broadband Line Service (*Cont'd*)

(T)(M)

A40.5.2 Terms and Conditions (*Cont'd*)

(T)(M)

C. Connections

(M)

The design, maintenance, and operation of Broadband Line Service contemplates data communications originating or terminating at stations of the customer.

(M)

1. Obligations of Customer

(M)

- a. When customer provided equipment (CPE) is connected with Broadband Line Service, the customer or authorized user must provide equipment to perform the function of the Digital Terminating Equipment (DTE). The DTE provided by the customer is required at a customer's premises to perform such functions as:

(M)

- Proper termination of service

(M)

- Amplification

(M)

- Signal shaping

(M)

- Remote loopback

(M)

- b. Where Broadband Line Service is available under this Guidebook for use in connection with customer provided equipment (CPE), the operating characteristics of such equipment shall be such as not to interfere with any of the services offered by the Company. Such use is subject to the further provisions that the CPE does not endanger the safety of Company employees or the public; damage, require change in, or alteration of the equipment or other facilities of the Company; interfere with the proper functioning of such equipment or facilities; impair the operation of the Company's facilities or otherwise injure the public in its use of the Company's services. Upon notice from the Company that the equipment provided by a customer is causing or is likely to cause such hazard or interference, the customer shall take such steps as shall be necessary to remove or prevent such hazard or interference.

(M)

- c. When CPE is connected to Broadband Line Service, the customer shall be responsible for:

(M)

- (1) Compatibility of the CPE to Broadband Line Service. This includes replacing the DTE due to technological changes in the network, and

(M)

- (2) Testing and sectionalization and clearance of trouble conditions or service difficulties on any CPE which is connected to Broadband Line Service.

(M)

- d. The customer's responsibility shall include cooperative testing with the Company as may be necessary.

(M)

2. Responsibility of the Company

(M)

- a. The Company shall not be responsible for installations, operation, or maintenance of any CPE. Where such CPE is connected to Company facilities, the responsibility of the Company shall be limited to the furnishing of facilities suitable for Broadband Line Service and to the maintenance and operation of such facilities in a manner proper for such service. Subject to this responsibility, the Company shall not be responsible for:

(M)

- (1) The through transmission signals generated by such equipment, or for the quality of, or defects in, such transmission,

(M)

- (2) The reception of signals by such equipment, or

(M)

- (3) Damage to CPE provided by a customer to an authorized user during testing.

(M)

- b. The Company shall not be responsible to the customer, if changes in any of the facilities, operations, or procedures of the Company utilized in provisioning of Broadband Line Service render any facilities provided by a customer obsolete or require modifications or alteration of such equipment or otherwise affect its use or performance.

(M)

- c. The Company undertakes to maintain and repair the facilities which it furnishes. The customer may not rearrange, disconnect, remove, or attempt to repair any equipment installed by the Company without prior written consent of the Company.

(M)

Page 2.1 is hereby deleted in its entirety and removed from this Guidebook

(N)

A40. FAST PACKET TRANSPORT SERVICES

A40.5 Broadband Line Service (Cont'd)

A40.5.2 Terms and Conditions (Cont'd)

D. Provision of Service

1. Rates and charges contained in this Section consist of the following elements:
 - a. Broadband Line
 - b. Broadband Line Extension
 - c. Move Charges
2. Service connection charges for Broadband Line Service are included in the respective nonrecurring charges specified herein. Service Charges from Section A4 are not applicable. Charges applicable for customer requested change of service installation due date and cancellation of service installation are as specified in A40.9.
3. A move involves a change in the physical location of one of the following:
 - the point of interface at the customer's premises
 - the customer's premises

The charges for the move are dependent upon whether the move is located within the same building or to a different building.

a. Moves Within the Same Building

When the move is to a new location within the same building, the charge for the move will be an amount equal to one-half the nonrecurring charge for the affected service termination at the customer's premises. There will be no change in the minimum period requirements.

b. Moves to a Different Building

Moves to a different building, other than addressed in paragraph c, will be treated as a discontinuance and start of service and all associated nonrecurring charges will apply. New minimum period requirements will be established at the new location. The customer will also remain responsible for satisfying all outstanding minimum period charges for the discontinued service.

c. Moves of Service(s) under Fast Packet SPP

Customer requests for moves of service under Fast Packet SPP, other than inside moves, will be subject to the conditions stated in A40.10.11.

A40.5.3 Fast Packet Option (FPO)

A. General

1. The Fast Packet Option (FPO) of Broadband Line Service is only available when used in conjunction with Frame Relay Service or BellSouth Video Conferencing Service (BVCS). Specifications for Frame Relay Service are contained in A40.1. Specifications for BVCS are contained in A140.11. (C)
2. The Fast Packet Option is used to connect a customer premises with the Frame Relay or BVCS Network Serving Area. (C)

A40. FAST PACKET TRANSPORT SERVICES

A40.5 Broadband Line Service (Cont'd)

A40.5.3 Fast Packet Option (FPO) (Cont'd)

A. General (Cont'd)

3. The Fast Packet Option is designed to transmit digital data signals at speeds of 56 Kbps, 64 Kbps, 128 Kbps¹, 1.536 Mbps, 44.210 Mbps, 149.760 Mbps, or 599.040 Mbps.

a. **(DELETED)**

(D)

- b. Multiples of 1.536 Mbps Broadband Line Service and Broadband Line Extension Service (from 2 through 8) may be used to access Frame Relay Service MultiLink Customer Connections.

Frame Relay Service MultiLink Customer Connection Speed	Quantity of 1.536 Mbps Broadband Line Services Required
3 Mbps	2
6 Mbps	4
9 Mbps	6
12 Mbps	8

4. The Broadband Line Extension-FPO may be used by the customer for other specific functions besides connecting the customer's serving wire center to a Serving Area Point such as specified in A40.1.2.C.5.a and A40.8.2.C.4.a.

Also, when the Fast Packet Option is provided in association with MegaLink channel service to connect customer locations to Frame Relay Service, the Broadband Line Extension-FPO may be used. This use occurs if the central office where the channelization is performed for MegaLink channel service is not a Frame Relay Service Serving Area Point, then a Broadband Line Extension-FPO is required to connect the central office where the channelization occurs to the closest Serving Area Point.

(C)

5. The Fast Packet Option may be provided in association with MegaLink channel service to connect a customer location to Frame Relay Service. Rates, terms, conditions and charges for MegaLink channel service are provided in B7.3 of the Private Line Guidebook. DS1 facilities being channelized via MegaLink channel service to be associated with the Fast Packet Option must be provisioned with Bipolar with 8 Zero Substitution (B8ZS) and Extended Superframe (ESF) if such service is to support a customer connection that is 64 Kbps or higher speed that is a multiple of 64 Kbps.
6. The Fast Packet Option operating at a transmission speed of 1.536 Mbps must be provisioned with Bipolar with 8 Zero Substitution (B8ZS) and Extended Superframe (ESF) if such service is to support a customer connection that is 64 Kbps or a higher speed that is a multiple of 64 Kbps.
7. If, prior to fulfilling the period of a contract plan, the customer requests a change in transmission speed on a Fast Packet Option (to a higher or lower speed), a Termination Charge will not be applied, if at the date of termination the applicable conditions set forth in A40.10.4.B are satisfied.

Prior to fulfilling the period of a contract plan, the customer may request a change **1**) to a lower speed Frame Relay MultiLink Customer Connection or **2**) from a Frame Relay MultiLink Customer Connection to a Frame Relay Subrate T3 or 44.210 Mbps Customer Connection (which will require the disconnect of a quantity of 1.536 Mbps Broadband Line Services). A Termination Liability Charge will not be applicable for such requests, if at the date of termination the applicable conditions set forth in A40.10.4.B are satisfied.

(C)

8. One-half of the nonrecurring charge(s) for the applicable rate elements in A40.5.3.B.1 and A40.5.3.B.2 apply if the customer requests a change in transmission speed on a Fast Packet Option (to a higher or lower speed).

Note 1: Effective 12/4/2002, Fast Packet Option 128 kbps (2B1Q) is not available for new installations, moves or changes.

Pages 4.0.0.1 through 4.0.8 are hereby deleted in their entirety and removed from this Guidebook.

A40. FAST PACKET TRANSPORT SERVICES

A40.5 Broadband Line Service (Cont'd)

A40.5.3 Fast Packet Option (FPO) (Cont'd)

A. General (Cont'd)

9. Contract Plans

- a. Contract Plans are available under conditions specified in the Fast Packet Services Payment Plan in A40.10 with contract periods described as follows:

- (1) Term Payment Plan A - payment periods may be selected from 12 to 36 months.
- (2) Term Payment Plan B - payment periods may be selected from 37 to 60 months.

10. When a customer in the service area of another Local Exchange Company (LEC) connects to a Company Network Serving Area, unless specifically provided for in another LEC's tariff, the interoffice mileage rate and one-half of the interoffice fixed rate for SynchroNet or MegaLink services will apply for the airline mileage between the LEC's serving wire center and the meet point.

For the Company's portion, the per mile rate for the Broadband Line Extension (BBLE)-FPO and the fixed rate specified in B.2.b.(1) (one-half the fixed BBLE rate) will apply for mileage from the nearest Company Serving Area Point to the meet point with the LEC.

11. The Fast Packet Option may be provided in association with SMARTRing service to connect a customer location to Frame Relay Service. Rates, terms, conditions and charges for SMARTRing service are provided in B7.7 of the Private Line Guidebook. (C)
12. The Fast Packet Option operating at a transmission speed of 149.760 Mbps or 599.040 Mbps is fiber optic based.
13. Specifications for the Fast Packet Option operating at a transmission speed of 128 Kbps¹ using 2B1Q technology are contained in the following documents:
 - ANSI T1.601, "Integrated Services Digital Network (ISDN) Basic Access Interface for Use on Metallic Loops for Application on the Network Side of the NT (Layer 1 Specification)". This document may be ordered from:
American National Standards Institute, Inc.
11 W. 42nd Street
New York, New York 10036
 - Bell Communications Research TR-TSY-000829, "Operations Technology Generic Requirements (OTGR): Generic Operations Interfaces Embedded Operations Channels". This document may be ordered from:
Telcordia - Customer Services
8 Corporate Place - Room 3C183
Piscataway, New Jersey 08854-4156
14. A 128 Kbps Frame Relay Service Customer Connection may interface with a Fast Packet Option operating at a transmission speed of either 128 Kbps¹ (2B1Q) or 1.536 Mbps. If an Extension capability operating at 128 Kbps¹ is necessary, two 64 Kbps Broadband Line Extensions are required.

Note 1: Effective 12/4/2002, Fast Packet Option 128 Kbps (2B1Q) is not available for new installations, moves or changes.

A40. FAST PACKET TRANSPORT SERVICES**A40.5 Broadband Line Service (Cont'd)**

(M)

A40.5.3 Fast Packet Option (FPO) (Cont'd)

(M)

B. Rates and Charges for the Fast Packet Option

(M)

		Nonrecurring Charge	Month To Month	A 12 to 36 Months	B 37 to 60 Months	USOC	
1.	Broadband Line-FPO						(M)
	(a) 56 Kbps	\$ 450.00	\$ 81.00	\$70.00	\$59.00	FP156	(M)
	(b) 64 Kbps	450.00	81.00	70.00	59.00	FP164	(M)
	(c) 128 Kbps (2B1Q) (Obsoleted – See Section A140.5)						(M)
	(d) 1.536 Mbps	465.00	178.00	168.00	156.00	FP115	(M)
	(e) 44.210 Mbps	1,000.00	1,725.00	1,610.00	1,495.00	FP144	(M)
	(f) 149.760 Mbps	1,800.00	2,550.00	2,200.00	2,000.00	FP114	(M)
	(g) 599.040 Mbps	3,600.00	5,100.00	4,335.00	3,900.00	FP159	(M)
2.	Broadband Line Extension-FPO						(M)
a.	Fixed rates applicable (fully <i>Company</i> provided)						(T)(M)
	(1) Per Extension						(M)
	(a) 56 Kbps ¹	75.00	7.00	6.00	4.50	FPOB5	(M)
	(b) 64 Kbps ¹	75.00	7.00	6.00	4.50	FPOB6	(M)
	(c) 1.536 Mbps ¹	120.00	71.00	66.00	60.00	FPOB1	(M)
	(d) 44.210 Mbps ¹	350.00	805.00	748.00	690.00	FPOB4	(M)
	(f) 149.760 Mbps ¹	750.00	4,080.00	3,760.00	3,550.00	FPOB7	(M)
	(g) 599.040 Mbps ¹	1,500.00	10,230.00	9,430.00	8,900.00	FPOB9	(M)
b.	Fixed rates applicable (jointly provided with another LEC)						(M)
	(1) Per Extension						(M)
	(a) 56 Kbps ²	37.50	3.50	3.00	2.50	FPOJ5	(M)
	(b) 64 Kbps ²	37.50	3.50	3.00	2.50	FPOJ6	(M)
	(c) 1.536 Mbps ²	60.00	36.00	33.00	30.00	FPOJ1	(M)
	(d) 44.210 Mbps ²	175.00	403.00	374.00	345.00	FPOJ4	(M)
	(f) 149.760 Mbps ²	375.00	2,040.00	1,880.00	1,775.00	FPOJ7	(M)
	(g) 599.040 Mbps ²	750.00	5,115.00	4,715.00	4,450.00	FPOJ9	(M)
c.	Each mile or fraction thereof						(M)
	(1) Per Extension						(M)
	(a) 56 Kbps	-	.70	.45	.35	FPOE5	(M)
	(b) 64 Kbps	-	.70	.45	.35	FPOE6	(M)
	(c) 1.536 Mbps	-	6.00	4.00	2.50	FPOE1	(M)
	(d) 44.210 Mbps	-	52.00	46.00	40.00	FPOE4	(M)
	(f) 149.760 Mbps	-	140.00	132.00	130.00	FPOE7	(M)
	(g) 599.040 Mbps	-	205.00	195.00	190.00	FPOE9	(M)
	Note 1: These fixed rates are only applicable when the entire service is provided within a <i>Company</i> service area and are used in lieu of the fixed rates listed in 2.b.(1).						(T)(M)
	Note 2: These fixed rates are only a applicable when the customer location is served by another LEC and are used in lieu of the fixed rates listed in 2.a.(1).						(M)

Pages 4.3 through 4.5.4 are hereby deleted in their entirety and removed from this Guidebook

(N)

A40. FAST PACKET TRANSPORT SERVICES

A40.6 Reserved for Future Use

A40.7 Reserved for Future Use

A40.8 (DELETED)

(D)

A40.9 Miscellaneous Charges For Fast Packet Transport Services

A40.9.1 General

- A. The miscellaneous charges provided herein are only applicable to specific Fast Packet Transport Services if so indicated in that service's respective subsection of this Guidebook (e.g., the subsections governing Frame Relay Service **and** Broadband Exchange Line Service specifically indicate charges herein A40.9.1 are applicable). The terms, conditions and miscellaneous charges herein apply for customer requested changes of service installation¹ due dates and customer requested cancellation of service installation orders. Terms, conditions and miscellaneous charges herein do not apply for customer requested due date changes or cancellation requests which involve only non-design service such as the addition of features to existing service or a change to an existing feature (e.g., DLCIs, CIR, PVCs, SVCs, etc.).

(C)

A40.9.2 Due Date Change Charges

- A. Upon customer request, the due date for service installation may be changed after an initial service order is issued.
- B. When the customer requests a new due date for service installation, the customer will not be charged for the first such due date change request. For each subsequent request(s) for the due date to be changed, the customer will be billed a service installation Due Date Change Charge as set forth in D. following (except under the conditions provided in C.(1) following).
- C. When the customer requests a new due date for service installation that is 30 or more calendar days beyond the original due date for installation, the customer has the choice of the following options:
- (1) The service order is cancelled and charges set forth in A40.9.4 following will apply, or
 - (2) Billing for the service will commence on the 31st day beyond the original service date; if this is a subsequent request for the due date to be changed, the service installation Due Date Change Charge will also apply.
- D. The Due Date Change Charge will apply as specified in B. and C. preceding. The applicable charge is:
- (1) Due Date Change Charge

(a) per request (after initial request)

Charge
\$ 50.00

USOC
FPTDD

A40.9.3 Expedite Request Charges

- A. Upon customer request, the Company will perform the work required to determine if a due date for a service installation can be provided that is in advance of the Company's stated standard installation interval for such service. Such requests shall be referred to as expedite requests, and all such requests shall incur an Expedite Request Charge whether or not the Company can meet the expedited due date desired by the customer. The Expedite Request Charge is in addition to all other applicable nonrecurring charges and applies on a per occurrence basis per service order. The applicable charge is:

- (1) Expedite Request Charge

(a) per request

Charge
\$ 50.00

USOC
FPTER

Note 1: The term "service installation" as used herein is defined as a request involving designed service (i.e., a new service installation or a move or physical rearrangement of an existing service).

EFFECTIVE: December 1, 2005

A40. FAST PACKET TRANSPORT SERVICES

A40.9 Miscellaneous Charges For Fast Packet Transport Services (Cont'd)

A40.9.4 Cancellation Charges

- A.** A customer may cancel a service order for the installation of service at any time prior to notification by the Company that service is available for the customer's use. The cancellation date is the date the Company receives written or verbal notice from the customer that the order is cancelled. (N)
- If a customer is unable to accept service within thirty calendar days after the original service date, the customer has the choice of the following options: (N)
- The service order shall be cancelled and charges set forth in B. following will apply, or (N)
 - Billing for the service will commence on the thirty-first day beyond the original service date. (N)
- In any event, the cancellation date or the date billing is to commence (depending on which option is selected by the customer) shall be the thirty-first day beyond the original service date of the service order. (N)
- B.** When a customer cancels a service order for the installation of service, a cancellation charge will apply as follows: (N)
1. Costs incurred in conjunction with the provision of Fast Packet Transport Services start on the Application Date as defined in 4.b. following. (N)
 2. When the customer cancels a service order prior to the Scheduled Issue Date, as defined in 4.b. following, no charges shall apply. (N)
 3. When the customer cancels a service order on or after the Scheduled Issue Date, a charge equal to the estimated costs incurred by the Company shall apply. Such charge is determined as specified in 4. following. (N)
 4. Charges applicable as specified in 3. preceding are based on the estimated costs incurred by the Company at the time the order is cancelled. The estimated costs incurred are determined based on the following. (N)
 - a. Certain Company critical dates are associated with a service order provisioning interval, whether standard or negotiated. These dates are used by the Company to monitor the progress of the provisioning process. At any point in the service order interval the Company is able to determine which critical date was last and can thus determine what percentage of the Company's provisioning costs have been incurred as of that critical date. (N)
 - b. The critical dates tracked by the Company are as follows: (N)
 - Application Date (APP): The date the customer provides to the Company, (1) a firm commitment for service and (2) sufficient information to enable the Company to begin service provisioning. This is also the order date. (N)
 - Scheduled Issue Date (SID): The date that the order is to enter the Company's order distribution system. (N)
 - Loop Assignment and Make-up Date (LAM): The date by which Local Loop Assignment and Make-up information must be available. (N)
 - Engineering Information Report Date (EIRD): The date the engineering group in another ISS area provides information to the primary engineering group. (N)
 - Records Issue Date (RID): The date that all design and assignment information is to be sent to the central office and installation forces. (N)
 - Designed, Verified, and Assigned Date (DVA): The date by which field implementation groups must report that all documents and materials have been received. (N)
 - Wired and Office Tested Date (WOT): The date by which all intraoffice wiring is to be completed, all plug-ins optioned, aligned, and frame continuity established, and the interoffice facilities, if applicable, tested. In addition, switching equipment, including translation loading, is to be installed and tested. (N)
 - Frame Continuity Date (FCD): Date on which frame-to-frame testing must be completed. This is sometimes referred to as the Facility Continuity Check Date. (N)
 - Plant Test Date (PTD): The date on which overall testing of the service is to be started. (N)
 - Service Date (DD): The date on which service is to be made available to the customer. This is sometimes referred to as the Due Date. (N)
 - c. The percentage of the total provisioning cost incurred by the Company at a particular critical date varies by the type of service shown in e. following. (N)

A40. FAST PACKET TRANSPORT SERVICES

A40.9 Miscellaneous Charges For Fast Packet Transport Services (Cont'd)

A40.9.4 Cancellation Charges (Cont'd)

B. (Cont'd)

4. (Cont'd)

- d. When a customer cancels a service order, or part of a service order, before the service date, the Company will apply cancellation charges to the order. Cancellation charges are calculated by multiplying all the nonrecurring charges associated with the order, or that part of the order being cancelled, by the percentage shown in e. following for the critical date last completed on the order.

e. Cancellation Charge Percentages

TYPE SERVICE/ CRITICAL DATES	AFTER: BEFORE:	SID LAM	LAM EIRD	EIRD RID	RID DVA	DVA WOT	WOT FCD	FCD PTD	PTD DD	DD
<u>Frame Relay Service¹:</u>										
-56 Kbps or 64 Kbps		64.5	64.5	67.7	67.7	74.2	83.5	91.1	98.2	100.0
-Any Fractional T1		58.8	58.8	63.8	63.8	69.5	86.0	92.6	98.9	100.0
-Any Subrate T1 or 1.536 Mbps		64.7	64.7	69.0	69.0	75.6	83.4	91.0	98.2	100.0
-Any Subrate T3 or 44.210 Mbps		60.5	60.5	63.7	63.7	68.6	87.7	93.4	98.7	100.0
<u>Broadband Line Services:</u>										
-56 Kbps, 64 Kbps or 128 Kbps		28.7	28.9	28.9	28.9	28.9	28.9	28.9	100.0	100.0
-1.536 Mbps		26.4	29.6	29.6	29.6	29.6	29.6	29.6	100.0	100.0
-44.210 Mbps, 149.760 Mbps or 599.040 Mbps		36.8	36.8	36.8	36.8	36.8	36.8	36.8	100.0	100.0

(DELETED)

BellSouth Metro Ethernet Service:

-Any Connection	44.3	44.3	49.3	49.3	59.5	81.4	89.8	100.0	100.0
-----------------	------	------	------	------	------	------	------	-------	-------

- C. When a customer cancels an order for the discontinuance of service no charges apply for the cancellation.
- D. If the Company misses a service date by more than 30 days due to circumstances over which it has direct control (excluding, e.g., acts of God, governmental requirements, work stoppages and civil commotions), the customer may cancel the service order without incurring cancellation charges.

Note 1: Effective September 19, 2011, Frame Relay Service is Obsolete (See Section A140).

(D)

(C)

A40. FAST PACKET TRANSPORT SERVICES

A40.10 Fast Packet Services Payment Plan

A40.10.1 General

- A. The **terms and conditions** specified herein are applicable to specific services as indicated in each service's respective subsection of this Guidebook. All of these services are included in this Section (A40. - Fast Packet Transport Services). (T)
- B. Services furnished under the Fast Packet Services Payment Plan (Fast Packet SPP) are subject to all general **terms and conditions** applicable to the provision of service by the Company as stated elsewhere in this Guidebook except as noted herein. (T)
- C. The Fast Packet SPP is a payment plan which allows customers to pay fixed or variable rates for Fast Packet Transport Services over variable contractual payment periods. A specific monthly rate applies for the duration of each period.
 Payment periods for each Fast Packet Transport Service will be described in that service's specific guidebook section. The following is an example of the manner in which those payment periods will be described. The following should also be used as a reference for any examples depicted in this Sub-section (A40.10) of this Guidebook.
 - 1. Term Payment Plan A - payment periods may be selected from 12 months to 24 months in length, at 24 month rates and charges.
 - 2. Term Payment Plan B - payment periods may be selected from 25 months to 48 months in length, at 48 month rates and charges.¹
- D. When the customer orders service to be provided under a Fast Packet SPP arrangement, the customer must designate to the Company the payment plan and the service period desired, e.g. Term Payment Plan B and 36 months.

A40.10.2 Application of Rates and Charges

- A. Rates stabilized under a Fast Packet SPP arrangement are exempt from Company initiated increases, however, decreases to any rate element will automatically flow through to the customer.
- B. Termination Charge
 - 1. In the event that all or any part of a service is disconnected at customer request prior to expiration of any selected payment period of greater than one month's duration, the customer will be required to pay a Termination Charge unless specifically stated otherwise in that service's guidebook.
 - 2. The Termination Charge is determined by multiplying the number of months remaining in the contract payment period by the contracted monthly rate by 50 percent.
 - a. For example, a customer subscribes to a Fast Packet Transport Service using Term Payment Plan B and selects the 30 month payment period. After 12 months the customer chooses to terminate service. The Termination Charge is calculated by multiplying 18 months (30 months - 12 months) by the monthly rate by 50 percent.
- C. When customers renew or change the length of their payment period, the rates applicable for the new period are those currently in effect at the time of the renewal or change in the length of the payment period. A Service Charge will not be applicable for such renewals or changes to the payment period.
- D. Customer requests for inside moves of service will not affect the contract period.
- E. A change in jurisdiction will not constitute a disconnect of service provided the new Fast Packet SPP arrangement is at least the minimum number of months allowable under Term Payment Plan A (as defined in the Fast Packet Transport Service's specific guidebook section) or equals/exceeds the remaining service period, whichever is greater, provided the new Fast Packet SPP arrangement is for the same customer at the same location for the same capacity service.

A40.10.3 Additions

- A. Additions of services or rate elements - e.g., Ports - must be under a new Fast Packet SPP arrangement at rates and charges as specified in A40.10.2 g. (T)
- B. Termination charges for premature disconnection of added contractual services will apply as set forth under Disconnects in A40.10.4. (T)
- C. Additions under Fast Packet SPP are exempt from Company-initiated rate changes for all payment periods longer than one month. However, decreases for any rate element will automatically flow through to the customer.
- D. Installation, Service Charges, service establishment, and any other nonrecurring charges, as specified in this Guidebook, will apply to the added services.

Note 1: Effective November 15, 2013, customers may not establish new term plans greater than 36 months for BellSouth Metro Ethernet Service described in A40.13, and existing term plans greater than 36 months may not be renewed or extended for a term greater than 36 months.

A40. FAST PACKET TRANSPORT SERVICES

A40.10 Fast Packet Services Payment Plan (Cont'd)

A40.10.4 Disconnects

- A. When a service or rate element, included under a Fast Packet SPP arrangement, is disconnected prior to expiration of the selected service period, Termination Charges may apply as set forth in A40.10.2. Remaining services or rate elements will not be affected by such disconnections. (T)
- B. When a service under a Fast Packet SPP arrangement is disconnected prior to the expiration of a selected service period as a result of a customer requested change of a FastPacket Transport Service which is specifically allowed without Termination Liability Charge as set forth in that service's **guidebook**, Termination Charges will not apply when: (T)
- the completed service period is at least the minimum number of months allowable under the specific service's Term Payment Plan A or twenty-five percent of the length of the originally selected Fast Packet SPP service period, whichever is greater, and
 - the service period of the new Fast Packet SPP arrangement is at least the minimum number of months allowable under Term Payment Plan A (as defined in the service's specific **guidebook** section) or equals/exceeds the remaining service period of the disconnected arrangement, whichever is greater, and (T)
 - the service orders to install the new service and disconnect the old service are related together and there is no lapse in service between installation of the new service and disconnection of the existing, and
 - the service orders are for the same customer at the same location.

A40.10.5 Requests for Changes in Length of Optional Payment Period

- A. Subsequent to the establishment of a contract with a Fast Packet SPP period, and prior to the completion of that period, the existing payment period may be replaced by:
1. A currently offered payment period at the current rates, with a length equal to or longer than the time remaining in the existing service agreement, subject to the following conditions:
 - a. No credit will be given for payments made during the formerly selected period.
 - b. The new payment period begins with the new Fast Packet SPP effective date.
 - c. No termination charge applies for the remaining portion of the former payment period.
 - d. Nonrecurring charges will not be reapplied.
 - e. A service charge will not apply.
 2. A currently offered payment period at the current rates, with a length shorter than the time remaining in the existing service agreement, subject to the following conditions:
 - a. No credit will be given for payments made during the formerly selected period.
 - b. The new payment period begins with the new Fast Packet SPP effective date.
 - c. A Termination Charge applies for the remaining portion of the former payment period.
 - d. Nonrecurring charges will not be reapplied.
 - e. A service charge will not apply.

(M)

A40. FAST PACKET TRANSPORT SERVICES

A40.10 Fast Packet Services Payment Plan (Cont'd)

A40.10.6 Renewal Options

- A. The customer has the following renewal options:
 - 1. Prior to completion of the current payment period, any period available under the Fast Packet SPP may be selected at the rates in affect for new customers at the time of the renewal. The customer will be charged at the current rate for the newly selected payment period, commencing the day following completion of the prior payment period. (M1)
 - 2. Service may be continued on a month-to-month basis at the current rate for the one-month payment period, unless otherwise specified in this Guidebook. The customer has no additional service commitment and, consequently, when service is terminated will not be subject to any termination charge. The one-month service will be subject to Company-initiated rate adjustments.
 - 3. If the customer does not elect an additional payment period or does not request discontinuance of service, service will be continued at a monthly rate currently in effect for the month-to-month payment rate under the terms specified in A.2. (T)
 - 4. Letters of Election executed on or after October 1, 2012, shall automatically renew for an additional one-year term under the same rates, terms and conditions in effect under the original Letter of Election, unless the Subscriber or the Company provides written notice of its intent not to renew the Letter of Election at least sixty (60) days prior to the expiration of the initial term or any subsequent additional one-year term.
- B. Service Charges are not applicable for rate elements renewed under the Fast Packet SPP. Any new rate elements added at the time of renewal will be subject to all appropriate Service Charges and other nonrecurring charges.
- C. The Company may discontinue or change any or all renewal options.
- D. When a customer renews a Fast Packet SPP arrangement, the rates and charges in effect on the first day of service of the renewal will apply.
- E. Recognition of previous service will be given to customers who renew an existing Fast Packet SPP arrangement, for all associated rate elements at the same location(s), provided that the length of the new Fast Packet SPP arrangement is at least the minimum number of months allowable under Term Payment Plan A (as defined in the Fast Packet Transport Service's specific **guidebook** section) or equals/exceeds the remaining service period of the original Fast Packet SPP arrangement. (T)
- F. Recognition of previous service will be given to month-to-month customers with a service date of March 8, 1995 or later who convert to a Fast Packet SPP arrangement, provided the minimum service period has been met. For customers whose service date is March 8, 1995 or earlier, recognition will be given for the previous service back to March 8, 1995. For customers whose service date is later than March 8, 1995, recognition for the previous service will be given back to the actual service date.
- G. To determine the appropriate Fast Packet SPP for the renewed arrangement, recognition of service will consist of the sum of months in service of the completed service arrangement and the sum of the months of the proposed service period of the Fast Packet SPP arrangement. For example, a Fast Packet SPP arrangement for a 24 month service period under Term Payment Plan A is renewed for 16 months with no changes at the end of the 24 month period. The sum of months for the completed and proposed service periods would equal 40 months and would be billed under Term Payment Plan B.

A40.10.7 Transfer of Service

- A. Service may be transferred to a new customer at the same location upon prior written concurrence by the new customer as specified in this Guidebook. This does not constitute a disconnection of service or a discontinuance of an existing Fast Packet SPP arrangement. The new customer will be subject to all provisions and equipment configurations currently in effect for the previous customer. **Terms and conditions** concerning transfer of service between subscribers as stated in other sections also apply under Fast Packet SPP. (T)

(M2)

M1 - Material appearing on this page previously appeared on page(s) 6 of this section.

M2 - Material previously appearing on this page now appears on page(s) 8 of this section.

A40. FAST PACKET TRANSPORT SERVICES

A40.10 Fast Packet Services Payment Plan (Cont'd)

A40.10.8 Deferred Payment

- A.** Payment of nonrecurring charges for Fast Packet services with contract payment plans may be deferred over the length of the customer's payment period or a shorter period (in annual increments) subject to the conditions specified below: (T)(M)
1. The charge to be deferred must be among the following types - Nonrecurring Charges, Service Establishment. (M)
 2. The customer must select a payment period longer than one month. (M)
 3. The total amount of nonrecurring charges as defined in A.1 may be deferred. (T)(M)
 4. The minimum amount deferrable per Fast Packet SPP arrangement is \$2000.00.
 5. Interest on deferred amounts will be calculated at the rate set forth in the deferred payment agreement executed by the customer. The interest rate to be charged on deferred payments will be the same as stated in A2.4.10.J.d. If, in the judgment of the Company, this interest rate allowed by law is insufficient to cover the costs of providing the deferred payment option, the Company will suspend the availability of said option until such time as the costs of providing said option can be recovered through the application of this interest rate. Suspension of the deferred payment option will not affect customers who have executed a deferred payment agreement prior to the effective date of such suspension. (T)
 6. The deferred charges (including interest) will be prorated on a monthly basis over the selected deferral period length.
 7. All deferred charges must be paid in full when the customer:
 - Selects a payment period with an expiration date prior to the expiration date of the deferral period.
 - Disconnects service prior to expiration of the selected deferral period.
 - Fails to pay a monthly amount within thirty days of its due date.
 - Moves a service under Fast Packet SPP to another location in Company territory within the same state and jurisdiction, with the exception of an inside move.
 8. The customer may prepay only the total outstanding deferred charges at any time during the selected deferral period. The customer will be given a credit for the amount of unearned interest. The customer may not prepay less than the total of the outstanding deferred charges.

A40.10.9 Prepayment

- A.** For payment period longer than one month, the customer may prepay the total outstanding recurring monthly rates. The prepayment of monthly rates in no way constitutes a purchase and the Company retains full ownership of all services covered by the prepayment. The following conditions apply:
1. Customers who prepay six months or more will have an allowance applied. The prepayment interest rate will be the same as stated in A2.4.10.K.I.
 2. Monthly rates for all services covered by a single Letter of Election must be prepaid. Monthly rates must be prepaid for services added subsequently and placed on the same Letter of Election (i.e., customer-elected coterminous option) with a prepaid system.
 3. Customers who change the length of a prepaid payment period will be credited any unused portion of the prepayment, subject to termination charges as specified in A40.10.4. (T)
 4. Customers who prematurely disconnect will have termination charges deducted from the prepaid amount and any balance credited to their bill.

A40. FAST PACKET TRANSPORT SERVICES

A40.10 Fast Packet Services Payment Plan (Cont'd)

A40.10.10 Moves of Service(s) Under Fast Packet SPP

- A. Termination Charges will not apply to customer requests for moves of service under Fast Packet SPP from one location to another location subject to the following:
 1. The original and new premises locations must be in Company territory within the same state.
 2. The move from the original location to the new location must be completed within thirty days of the original premises disconnect date.
 3. No lapse in billing will occur for moves of service under Fast Packet SPP.
 4. Orders to disconnect the existing service and re-establish it at the new location must be related.
 5. Any rate elements - such as, Ports - from the original location that are not re-established at the new location will be subject to applicable Termination Charges.
 6. Any additions made at the new location will be treated as coterminous additions in accordance with A40.10.3 preceding.
 7. All **terms, conditions** and charges for changes made to the service coincident to that move shall apply. (T)
 8. All appropriate nonrecurring charges for moves of service as specified in this **Guidebook** will apply. (T)
 9. Moves of service that involve a change of jurisdiction, e.g., intraLATA to intrastate, intrastate to interstate, etc., will not be treated as a disconnect of service with regard to Termination Charge application. The customer must subscribe to a payment arrangement offered in the appropriate interstate tariff which is at least the minimum number of months allowable under Term Payment Plan A (as defined in the Fast Packet Transport Service's specific **guidebook** section) or equals/exceed the remaining contract period, whichever is greater. (T)

A40.11 BellSouth Video Conferencing Service (Obsoleted, See Section A140)

A40.12 Customer Network Management (Obsoleted See Section A140) (M)

A40.13 BellSouth Metro Ethernet Service (M)

A40.13.1 General (M)

- A. BellSouth Metro Ethernet Service is a high-speed packet transport that is based on Ethernet transmission parameters. (M)
- B. BellSouth Metro Ethernet Service provides various transport capabilities that range from 2 Mbps through 1 Gbps with capabilities for basic, premium and virtual arrangements that may be used to meet individual customer needs. (M)
- C. BellSouth Metro Ethernet Service signals meet IEEE 802.3, 802.3u, or 802.3z standards. BellSouth Metro Ethernet Service also uses 802.1Q VLAN tagging and stacking for certain service configurations contained herein. Technical requirements for interfaces with customer premises equipment (CPE) are contained in ANSI/IEEE 802.3 Specifications. These technical documents may be ordered from:

American National Standards Institute (M)
 11 West 42nd Street (M)
 New York, New York 10036 (M)
- D. Technical Reference TR-73632 - Metro Ethernet Interface Specifications may be ordered from: (M)

Documentation Service Center (M)
 3535 Colonnade Parkway – NW5B (M)
 Birmingham, AL 35243 (M)

Technical limitations associated with provisioning 2 Mbps, 4 Mbps and 8 Mbps BellSouth Metro Ethernet Connections based upon distance from the customer's premises to serving wire center and equipment configurations exist and are also set forth in TR-73632. (M)
- E. BellSouth Metro Ethernet Service, as provided under the provisions of this section, is offered for intraLATA use only. (M)
- F. The terms, conditions and rates specified herein are in addition to the applicable terms, conditions and rates specified in other sections of this and other Guidebooks of the Company. (M)
- G. The rates and charges set forth for BellSouth Metro Ethernet Service provide for the furnishing of service in certain metropolitan areas. In locations where BellSouth Metro Ethernet Service is not available, special construction charges may apply as set forth in Section A5. (M)
- H. For BellSouth Metro Ethernet Service, the Due Date Change Charge, Expedite Request Charge and Cancellation Charge, as defined in A40.9, are applicable. (M)

A40. FAST PACKET TRANSPORT SERVICES

A40.13 BellSouth Metro Ethernet Service (Cont'd)

A40.13.2 Terms and Conditions

A. Explanation of Terms

1. Metro Ethernet

Metro Ethernet is a service where Local Area Networks (LANs) send bi-directional Ethernet traffic to other LANs on an Ethernet Wide Area Network (WAN). Ethernet is one of the most widely deployed LAN/WAN standards. BellSouth Metro Ethernet Service supports IEEE Standard 802.3, 802.3u and 802.3z transmission standards.

2. Local Area Network (LAN)

LAN is a communications network spanning a limited geographical area. A LAN connects computers and other peripheral equipment for data communications purposes within a building or campus environment.

3. Virtual Local Area Network (VLAN)

A virtual local area network (VLAN) is a logical grouping of Metro Ethernet connections that allows data transmission between such connections to occur as if all connections are on the same physical LAN.

4. Basic BellSouth Metro Ethernet Service Connection

Provides 2 Mbps, 4 Mbps, 8 Mbps, 10 Mbps, 100 Mbps and 1 Gbps Ethernet capabilities that are a part of a BellSouth Metro Ethernet Service network within a metropolitan area. Basic BellSouth Metro Ethernet Service is a best effort service with service capabilities that are affected by overall traffic on the Basic BellSouth Metro Ethernet Service network and is suitable for data transmission only.

A Basic BellSouth Metro Ethernet Service Connection operating at any of these speeds is capable of interconnecting with other Basic BellSouth Metro Ethernet Service Connections that are operating at any of these speeds in the same metropolitan area.

A Basic BellSouth Metro Ethernet Service Connection provides data channel transport that connects customer premises¹ that are 10 miles or less in distance from the BellSouth Metro Ethernet Service wire center associated with the Basic BellSouth Metro Ethernet Service Connection. Customer locations¹ greater than 10 miles from the BellSouth Metro Ethernet Service wire center require BellSouth Metro Ethernet Service Additional Mileage charges.

5. Premium BellSouth Metro Ethernet Service Connection

Provides 2 Mbps, 4 Mbps, 8 Mbps, 10 Mbps, 20 Mbps, 50 Mbps, 100 Mbps 250 Mbps, 500 Mbps and 1000 Mbps Ethernet capabilities that are a part of a BellSouth Metro Ethernet Service network within a metropolitan area. Premium BellSouth Metro Ethernet Service provides the ability to order Ethernet Service with improved service characteristics to meet customer needs regarding the assurance of bandwidth availability.

Premium BellSouth Metro Ethernet Service provides customers capabilities to assure service characteristics via ordering a Committed Bandwidth (CBW). A CBW is the minimum bandwidth across the BellSouth Metro Ethernet Service network within a metropolitan area between a customer's Premium BellSouth Metro Ethernet Service locations.

Premium BellSouth Metro Ethernet Service Connections are available with "Fixed" and "Burst" capabilities². With the Fixed arrangement, Premium BellSouth Metro Ethernet Service Connections will have the bandwidth ordered (e.g., 10 Mbps) available across the BellSouth Metro Ethernet Service network. With the Burst arrangement, Premium BellSouth Metro Ethernet Service Connections will have the ability to send burst of data above their CBW rate, if network capacity and facilities are available. For example a 10 Mbps, a 20 Mbps and a 50 Mbps Connection may Burst up to 100 Mbps, while a 100 Mbps, a 250 Mbps and a 500 Mbps Connection may Burst up to 1 Gbps.

A Premium BellSouth Metro Ethernet Service Connection operating at any of these speeds is capable of interconnecting with other Premium BellSouth Metro Ethernet Service Connections that are operating at any of these speeds in the same metropolitan area.

Premium BellSouth Metro Ethernet Service Connection provides data channel transport that connects a customer premises¹ that are 10 miles or less in distance from the BellSouth Metro Ethernet Service wire center associated with the Premium BellSouth Metro Ethernet Service Connection. Customer locations¹ greater than 10 miles from the BellSouth Metro Ethernet Service wire center require BellSouth Metro Ethernet Service Additional Mileage charges.

Note 1: And as alternatively set forth in A40.13.2.C.11.

Note 2: Premium Connections at 2 Mbps, 4 Mbps and 8 Mbps are not available with "Burst" capability.

Page 10.1 is hereby deleted in its entirety and removed from this Guidebook

A40. FAST PACKET TRANSPORT SERVICES

A40.13 BellSouth Metro Ethernet Service (Cont'd)

(T)

A40.13.2 Terms and Conditions (Cont'd)

(M)

A. Explanation of Terms (Cont'd)

(M)

6. Virtual BellSouth Metro Ethernet Service Connection

(M)

Provides 2 Mbps, 4 Mbps, 8 Mbps, 10 Mbps, 20 Mbps, 50 Mbps, 80 Mbps, 100 Mbps, 200 Mbps, 300 Mbps, 450 Mbps, 600 Mbps, 750 Mbps, 900 Mbps and 1000 Mbps Ethernet capabilities that are a part of a BellSouth Metro Ethernet Service network within a metropolitan area. Virtual BellSouth Metro Ethernet Service provides the ability to order Ethernet Service where a single customer connection can support multiple applications with varying Quality of Service (QoS) features and Classes of Service.

(M)

Virtual BellSouth Metro Ethernet Service provides customer capabilities to support different Classes of Service (CoS) (i.e., Real-Time, Interactive, Business Critical and Best Effort as described in (13) following) over the same Connection and offers customers increased flexibility to match bandwidth to their real needs for voice/data/video applications on each Connection. The customer orders the percentage of their Virtual BellSouth Metro Ethernet Service Connection bandwidth that will be allocated for each class of service.

(M)

For each Virtual Connection, the customer's bandwidth will be limited to the fixed speed associated with each CoS level specified in the CoS profile selected for the Virtual Connection.

(M)

A Virtual BellSouth Metro Ethernet Service Connection operating at any of these speeds is capable of interconnecting with other Virtual BellSouth Metro Ethernet Service Connections that are operating at any of these speeds in the same metropolitan area.

(M)

A Virtual BellSouth Metro Ethernet Service Connection provides data channel transport that connects customer premises¹ that are 10 miles or less in distance from the BellSouth Metro Ethernet Service wire center associated with the Virtual BellSouth Metro Ethernet Service Connection. Customer locations¹ greater than 10 miles from the Virtual BellSouth Metro Ethernet Service wire center also require BellSouth Metro Ethernet Service Additional Mileage charges.

(M)

7. BellSouth Metro Ethernet Service Independent Company (ICO) Trunk Connection

(M)

Provides interconnection between BellSouth's Ethernet network and the Ethernet network of an Independent Telephone Company. A BellSouth Metro Ethernet Service ICO Trunk Connection provides data channel transport for connections that are 10 airline miles or less in distance from the BellSouth Metro Ethernet Service ICO Trunk Connection wire center to the meet-point with the Independent Company. Meet-point locations greater than 10 airline miles from the BellSouth Metro Ethernet Service ICO Trunk Connection wire center also require BellSouth Metro Ethernet Service ICO Trunk Additional Mileage charges.

(M)

8. BellSouth Metro Ethernet Service Additional Mileage Charges

(M)

Additional mileage charges associated with a BellSouth Metro Ethernet Service Connection apply when the total distance from the customer premises¹ to the BellSouth Metro Ethernet Service wire center associated with the service serving the customer's premises¹ is greater than 10 miles in length. The additional mileage is measured in airline miles from the customer premises to the BellSouth Metro Ethernet Service wire center associated with the BellSouth Metro Ethernet Service. Fractions of miles will be considered as a whole mile.

(M)

BellSouth Metro Ethernet Service Additional Mileage Charges apply to Basic, Premium and Virtual BellSouth Metro Ethernet Service based on the service's speed and the total distance associated with the data channel. The BellSouth Metro Ethernet Service Additional Mileage Charge is based on the mileage band the total data channel mileage falls into. For example, a data channel that is 30 miles in length would be charged the additional mileage rate for the greater than 25 mile through 35 mile band.

(M)

9. BellSouth Metro Ethernet Service Independent Company (ICO) Trunk Additional Mileage Charges

(M)

Additional mileage charges associated with a BellSouth Metro Ethernet Service ICO Trunk Connection apply when the total distance from the BellSouth Metro Ethernet Service ICO Trunk Connection wire center to the meet-point with the Independent Company is greater than 10 miles in length. The additional mileage is measured in airline miles from the BellSouth Metro Ethernet Service wire center associated with the BellSouth Metro Ethernet Service ICO Trunk Connection to the Independent Company meet-point. Fractions of miles will be considered as a whole mile.

(M)

Note 1: And as alternatively set forth in A40.13.2.C.11.

(M)

Page 11.1 is hereby deleted in its entirety and removed from this Guidebook

(N)

A40. FAST PACKET TRANSPORT SERVICES

A40.13 BellSouth Metro Ethernet Service (Cont'd)

(T)

A40.13.2 Terms and Conditions (Cont'd)

(M)

A. Explanation of Terms (Cont'd)

(M)

10. Metro Ethernet Customer Network

(M)

A Metro Ethernet Customer Network is defined as the set of interconnected Metro Ethernet connections assigned to the same VLAN within the **Company's** core network. Premium Connections that include the Q-Forwarding optional feature and Virtual Connections that include the VLAN Aggregation optional feature may be part of more than one Metro Ethernet Customer Network.

(T)(M)

11. Priority Plus

(M)

Customers with Premium BellSouth Metro Ethernet Service, as an optional feature, may order the ability to prioritize their traffic in accordance with a predefined hardware queue model approach. With this option, customers will assign priority values to their data and higher-priority data will be transmitted first. Priority Plus service traffic is limited to a small subset of the total Committed Bandwidth (CBW) traffic and is marked for expedited handling within the Metro Ethernet Service. Customers that desire Priority Plus must establish it for all of their Premium BellSouth Metro Ethernet Service connections within that Metro Ethernet Customer Network.

(M)

12. Q-Forwarding

(M)

Customers with a Premium BellSouth Metro Ethernet Service Arrangement may order the Q-Forwarding feature. Q-Forwarding provides VLAN aggregation across a common physical connection. This feature supports customer aggregation of traffic from multiple remote customer locations. This aggregated traffic can be transported back to a central location and across a common Premium Metro Ethernet Service interface. Q-Forwarding utilizes IEEE 802.1Q VLAN Tagging procedures.

(M)

While Q-Forwarding is available with BellSouth Premium Metro Ethernet Connections at 2 Mbps, 4 Mbps and 8 Mbps, this feature is subject to technical limitations set forth in Technical Reference 73632 when used with these speed connections.

(M)

With Q-Forwarding, special technical considerations set forth in Technical Reference 73632 must be taken into account to determine the customer's CBW across their BellSouth Metro Ethernet Network.

(M)

The Q-Forwarding Service Establishment Charge is a charge to provision a Premium Metro Ethernet Connection with the Q-Forwarding feature and identify it as the host connection or the "aggregator" connection.

(M)

The Q-Forwarding Network Assignment Charge is a charge to provision any remote Premium connection to the Q-Forwarding host "aggregator" connection. The Q-Forwarding Network Assignment Charge applies for each remote Metro Ethernet Customer Network (VLAN) connected to the Q-Forwarding host "aggregator" connection.

(M)

13. VLAN Aggregation

(M)

Customers with a Virtual BellSouth Metro Ethernet Service Arrangement may order the VLAN Aggregation feature. VLAN Aggregation provides VLAN aggregation across a common physical connection. This feature supports customer aggregation of traffic from multiple remote customer locations. This aggregated traffic can be transported back to a central location and across a common Virtual Metro Ethernet Service interface. VLAN Aggregation utilizes IEEE 802.1Q VLAN Tagging procedures.

(M)

While VLAN Aggregation is available with BellSouth Virtual Metro Ethernet Connections at 2 Mbps, 4 Mbps and 8 Mbps, this feature is subject to technical limitations set forth in Technical Reference 73632 when used with these speed connections.

(M)

The VLAN Aggregation Service Establishment Charge is a charge to provision a Virtual Metro Ethernet Connection with the VLAN Aggregation feature and identify it as the host connection or the "aggregator" connection.

(M)

The VLAN Aggregation Network Assignment Charge is a charge to provision any remote Virtual connection to the VLAN Aggregation host "aggregator" connection. The VLAN Aggregation Network Assignment Charge applies for each remote Metro Ethernet Customer Network (VLAN) connected to the VLAN Aggregation host "aggregator" connection.

(M)

A40. FAST PACKET TRANSPORT SERVICES

A40.13 BellSouth Metro Ethernet Service (Cont'd)

(T)

A40.13.2 Terms and Conditions (Cont'd)

(M)

A. Explanation of Terms (Cont'd)

(M)

14. Class of Service (CoS) Profile

(M)

For each Virtual BellSouth Metro Ethernet Connection the customer must decide the mix of applications that will be supported on that Connection, the CoS mix that Virtual Connection must support, and the percentage of bandwidth to be assigned for each CoS (i.e., build a CoS profile for each Virtual Connection). The customer's bandwidth will be limited to the fixed speed associated with each CoS level. Therefore, total bandwidth available to support transmission of a specific CoS will depend upon the size of the customer's Connection and the specific CoS percentage the customer selected for that Connection.

(M)

A customer may request a single CoS or up to four CoS to build the CoS Profile for a Virtual Connection. The customer determines the percentage bandwidth each CoS selected should be of the total Virtual Connection's bandwidth. The sum of the percentages for each CoS selected for a Virtual Connection must equal 100%. Additionally, the combined CoS bandwidth percentages selected in a customer's CoS Profile for Real-Time CoS plus Interactive CoS may not exceed 50%, except where the customer selects the 70% Real-Time CoS bandwidth percentage and has no Interactive traffic.

(M)

A customer may select different CoS profiles for different Virtual Connections that share the same network VLAN, or Virtual Connection network arrangement. However, technical limitations exist as discussed in TR-73632 that limit the total number of different CoS profiles that can be utilized in a single Virtual Connection network arrangement.

(M)

The CoS and percentage bandwidth selected for a Virtual Connection will define the applications that can be supported and its Quality of Service (QoS) attributes such as traffic priority, latency, packet loss rate, etc. QoS attributes are defined for each CoS. Each Virtual Connection will support Ethernet traffic representing one or more applications and CoS. Virtual Connections support the four following CoS:

(M)

- Real-Time¹: This CoS supports VoIP applications. The Real-Time CoS is supported by a low latency queue. The Low Latency Queuing (LLQ) feature in the Ethernet network is used for support of the Real-Time CoS.
- Interactive¹: This CoS supports interactive Video applications. The Interactive CoS is policed to a maximum bandwidth.
- Business Critical: This CoS supports mission-critical business data applications. These applications tend to be data specific and may include medical imaging, electronic funds transfer, medical records transfer, etc.
- Best-Effort: This CoS is the default CoS for all other traffic that is not defined as Business Critical, Real-Time or Interactive. Traffic that does not match the other CoS will be mapped as Best Effort. Traffic with the Best Effort CoS will have the lowest priority on the network and will support lower priority data applications, such as email and file transfer protocol (FTP).

(M)

(M)

(M)

(M)

Each customer packet from a Virtual Connection will be classified and assigned to a specific CoS by methods identified in TR-73632.

(M)

Note 1: The combined CoS bandwidth percentages selected in a customer's Virtual Connection CoS Profile for Real-Time CoS plus Interactive CoS may not exceed 50%, except where the customer selects the 70 Real-Time CoS bandwidth percentage and has no Interactive traffic.

(M)

A40. FAST PACKET TRANSPORT SERVICES

(M1)

A40.13 BellSouth Metro Ethernet Service (Cont'd)

(M2)

A40.13.2 Terms and Conditions (Cont'd)

(M2)

A. Explanation of Terms (Cont'd)

(M2)

15. Reconfiguration Changes

(M2)

A customer request to modify a BellSouth Metro Ethernet Service connection subsequent to the establishment of the connection is considered a reconfiguration change. Nonrecurring charges provided for processing certain reconfiguration changes are the Service Reconfiguration Charge and System Reconfiguration Charge. The appropriate reconfiguration charge is dependent upon the physical work required to fulfill the reconfiguration change request and applies as specifically set forth herein in lieu of other BellSouth Metro Ethernet Service nonrecurring charges. Such changes are not treated as disconnects and do not change minimum period requirements.

(M2)

A Service Reconfiguration Charge is applicable as set forth herein this guidebook for requests where the work required is a minor change that does not involve changing the physical service type¹. The Service Reconfiguration Charge is applicable as set forth in A40.13.2.C.5.b for a request to change an existing connection to a different connection that is the same physical service type¹ that is a lower order of service per the BellSouth Metro Ethernet hierarchy set forth in A40.13.2.C.4. The Service Reconfiguration Charge is also applicable for a request to change an existing Premium connection from fixed mode to burst mode (and vice versa), for a request to add or delete the Priority Plus feature on an existing Premium connection and for a request to change the CoS Profile on an existing Virtual connection.

(T)(M2)

A System Reconfiguration Charge is applicable as set forth herein this guidebook for requests where the work required involves changing to a different physical service type¹ or involves major support system changes. The System Reconfiguration Charge is applicable as set forth in A40.13.2.C.5.a for requests to change an existing connection to a different connection that is a different physical service type¹ that is a lower order of service per the BellSouth Metro Ethernet hierarchy set forth in A40.13.2.C.4. The System Reconfiguration Charge is also applicable to change the network channel terminating equipment (NCTE) interface option from optical to electrical (or vice-versa) and to change the premises powering options from AC power to DC power (or vice-versa).

(T)(M2)

16. Customer Network Management (CNM) - Metro Ethernet Reporting Charge

(M2)

Customers with Premium or Virtual Metro Ethernet Service, as an optional feature, may order CNM - Metro Ethernet Reporting that provides customers a view into their BellSouth Metro Ethernet Service Network via a Web interface and Security Card. The CNM - Metro Ethernet Reporting charge provides Alarm Surveillance, Service Level Agreement Reporting, and Performance Reporting for the various network components that comprise the customer's BellSouth Metro Ethernet Service network. It is only available to customers purchasing Premium or Virtual BellSouth Metro Ethernet Service and is charged for each Premium or Virtual Metro Ethernet Service connection.

(M2)

17. CNM - Metro Ethernet Reporting Service Establishment Charge

(M2)

The Service Establishment Charge is a nonrecurring charge that applies per BellSouth Metro Ethernet Service customer account. This service charge covers the initial establishment of the CNM - Metro Ethernet Reporting account for each customer. A customer with an existing CNM - Metro Ethernet Reporting customer account from another **Company** jurisdiction may re-use that customer account.

(T)(M2)

18. CNM - Metro Ethernet Reporting Web Interface Charge

(M2)

All customers purchasing CNM - Metro Ethernet Reporting must have a Web Interface. This connection allows the customer to access and monitor their network via the Web. Each web interface provides for one concurrent access; additional concurrent accesses will require additional web interfaces. The first Web Interface is included in the initial installation of the CNM - Metro Ethernet Reporting feature. A monthly charge and a non-recurring charge are applicable for each additional Web Interface connection.

(M2)

19. Metro Ethernet Security Card Charge

(M2)

A Security Card is required for each Web Interface. Each security card can only be used for a single concurrent access and can be associated with only one web interface. A Security Card charge will apply for initial and additional cards, or for the issuance of additional cards to replace lost, damaged or expired cards. A nonrecurring charge is applicable per Security Card.

(M2)

20. Automatic Protection Switching (APS)

(M2)

Automatic Protection Switching (APS) is an optional feature that provides customers with the option of having data channel survivability through the use of a secondary path that is diverse from the path provided with their primary Metro Ethernet Connection. However, APS is not available for a 2 Mbps, 4 Mbps or 8 Mbps Connection.

(M2)

Note 1: The physical service type/speed of each Metro Ethernet Connection is provided in A40.13.2.C.4.

(M2)

M1 - Material previously appearing on this page now appears on page(s) 9 of this section.

M2 - Material appearing on this page previously appeared on page(s) 21.2 and 22 of this section.

A40. FAST PACKET TRANSPORT SERVICES

A40.13 BellSouth Metro Ethernet Service (Cont'd)

(T)

A40.13.2 Terms and Conditions (Cont'd)

(M)

A. Explanation of Terms (Cont'd)

(M)

21. Service Level Agreements (SLAs)

(M)

BellSouth Metro Ethernet Service Customer networks comprised of Premium Connections or Virtual Connections with Metro Ethernet Reporting are provided Service Level Agreements (SLAs) for the Company's repair and performance commitments for this service. Credits are provided for missed commitments on such service. The specific SLA commitments and credits applicable are set forth in Section A40.13.2.B.6 for Premium Connections and in Section A40.13.2.B.7 for Virtual Connections.

(T)(M)

22. Core Trunk Automatic Failover

(M)

Core Trunk Automatic Failover is an optional feature that provides customers with the option to have an Automatic Failover SLA on core trunk protection between BellSouth Metro Ethernet service core network wire centers within a BellSouth Metro Ethernet service metropolitan area.

(M)

Core Trunk Automatic Failover is available for use with Basic, Premium and Virtual BellSouth Metro Ethernet Arrangements.

(M)

B. Basis of Offering

(M)

1. Suspension of service is not allowed.

(M)

2. BellSouth Metro Ethernet Service is available 24 hours per day, 7 days per week, except for preventive maintenance.

(M)

3. Obligations of customer and Company

(M)

a. The Company is not responsible for the installation, operation, or maintenance of any equipment provided by the customer.

(M)

b. The customer is responsible for the provision and maintenance of all customer provided equipment and to insure that the operating characteristics of this equipment is comparable with and does not interfere with the service offered by the Company.

(M)

c. At the Service Connection point the customer's signals must conform to IEEE Standards 802.3, 802.3u or 802.3z. To meet end-to-end delay requirements contained in these aforementioned standards, the customer may be required to provide additional equipment.

(M)

d. Application testing described in A2.5.11 is not available for BellSouth Metro Ethernet Service components and features.

(M)

4. The minimum service period for all BellSouth Metro Ethernet Service guidebook components is twelve months.

(M)

5. Due to the nature of BellSouth Metro Ethernet Service it will be necessary to perform preventive maintenance and software updates. This will mean that BellSouth Metro Ethernet Service and BellSouth CNM - Metro Ethernet Reporting will be unavailable during the period of time when preventive maintenance is being performed. This could result in BellSouth Metro Ethernet Service and BellSouth CNM - Metro Ethernet Reporting being unavailable during the period of time between 1:00 AM and 5:00AM Eastern Time on any given Saturday or Sunday morning. The Company upon written notice to the customer may adjust the maintenance window.

(M)

A40. FAST PACKET TRANSPORT SERVICES

A40.13 BellSouth Metro Ethernet Service (Cont'd)

(T)

A40.13.2 Terms and Conditions (Cont'd)

(M)

B. Basis of Offering (Cont'd)

(M)

6. Service Level Agreement for Premium BellSouth Metro Ethernet Service

(M)

BellSouth Metro Ethernet Service Level Agreements (SLAs) specify the Company's repair and performance commitments for CNM - Metro Ethernet Reporting customers. Credits are provided for missed commitments to Premium customers purchasing the Metro Ethernet Reporting feature. Credits only apply for portions of service provided by the Company. The following service measurements will outline the service levels the Company will deliver to Metro Ethernet Reporting customers with Premium Metro Ethernet Connections. Details of the technical measurements and performance results methodologies for each commitment are provided in BellSouth Technical Reference TR-73632.

(M)

Repair

(M)

- BellSouth Metro Ethernet Service Time-to-Repair¹
- Repair commitments are measured on a per occurrence basis

(M)

(M)

Network Service Levels

(M)

- BellSouth Metro Ethernet Service Network Availability
- BellSouth Metro Ethernet Service Network Latency
- Network Service Level Commitments are monthly performance measurements

(M)

(M)

(M)

a. SLA Definitions:

(M)

BellSouth Metro Ethernet Service Time-To-Repair

(M)

- BellSouth Metro Ethernet Service Time-To-Repair measures the outage duration on a customer's connection. This measure will require the customer to report the problem to the **Company's** repair center.
- The repair interval will start with the time entered on the trouble ticket and end when fault is re-mediated. The Service Level Commitment measurement will be based on each individual trouble ticket for a Customer Connection. Time for scheduled maintenance windows does not count towards SLA threshold.

(T)(M)

(M)

BellSouth Metro Ethernet Service Network Availability

(M)

- BellSouth Metro Ethernet Service Network Availability measures the percentage of time the customer's service is unavailable on the core network. Core network is defined as being from the Ethernet switch serving the customer's A-end to the Ethernet switch serving the customer's B-end. Customer networks that do not traverse the core network are not eligible for the Network Availability SLA and one will not be provided.
- The Service Level Commitment will be calculated by measuring and summing the outage for each network component used by the customer, divided by the total number of components, times the total service time for a particular calendar month. Excluded from the outage time and service time are scheduled maintenance windows and time the network was unavailable due to circumstances outside the Company's control.

(M)

(M)

BellSouth Metro Ethernet Service Network Latency -

(M)

- BellSouth Metro Ethernet Service Network Latency measures average one-way delay in milliseconds within the core network. Core Network is defined as being from the Ethernet switch serving the customer's A-end to the Ethernet switch serving the customer's B-end. Customer networks that do not span more than one switch in the core network are not eligible for the Network Latency SLA and one will not be provided.
- The Service Level Commitment will be calculated by averaging the measured latency within the Metro Ethernet Customer Network between each pair of connections over a thirty-day period.

(M)

(M)

b. The Company's Service Level Commitments for BellSouth Metro Ethernet Service are as follows:

(M)

- BellSouth Metro Ethernet Service Time-To-Repair - 4 hours
- BellSouth Metro Ethernet Service Network Availability - 99.9%
- BellSouth Metro Ethernet Service Network Latency - 55 milliseconds

(M)

(M)

(M)

Note 1: SLA not applicable if missed due to LightGate service or SMARTRing service outage where BellSouth Metro Ethernet Service is using LightGate service or SMARTRing service as alternate transport.

(M)

A40. FAST PACKET TRANSPORT SERVICES

A40.13 BellSouth Metro Ethernet Service (Cont'd)

(M)

A40.13.2 Terms and Conditions (Cont'd)

(M)

B. Basis of Offering (Cont'd)

(M)

6. Service Level Agreement for Premium BellSouth Metro Ethernet Service (Cont'd)

(M)

c. SLA Restrictions

(M)

The Company will implement SLA provisioning restrictions that will define customer network design requirements and limitations to **the Company's** commitment to meet Service Levels for BellSouth Metro Ethernet Service. The customer network design requirements are as follows:

(T)(M)

- A customer must subscribe to the Metro Ethernet Premium Service with CNM - Metro Ethernet Reporting to receive credits for missed Service Level Commitments. (M)
- Credits are not provided for partial month service. (M)
- A customer's account must be current to receive a credit. (M)

SLA credits do not apply when any stated objective is not met because the Company does not have control over the circumstances causing the objective to be missed. Situations over which the Company does not have control include, but are not limited to, the following: (M)

- any act, any omission or negligence on the part of the customer, any other customer or any third party, or of any other entity providing a portion of the service, (M)
- labor difficulties, governmental orders, civil commotions, declared National Emergencies, criminal actions against the Company, acts of God, war, or other circumstances beyond the Company's control, (M)
- the customer's premises equipment, and (M)
- unavailability of the customer's facilities and/or equipment including customer-provided power and environmental conditions for **Company**-owned and operated equipment located on the customer's premise. (T)(M)

The customer must request a credit within one calendar month of the Company missing a BellSouth Metro Ethernet Service Level Commitment. A customer request for a Network Service Level SLA credit must be submitted on a standard request form issued by the Company that includes the month the SLA commitment was missed, accurate identification of the affected circuit, and the observed measurement of the specific SLA that was missed. A customer request for a Repair SLA credit must be submitted on a standard request form issued by the Company that includes the month the SLA commitment was missed, accurate identification of the affected circuit, and the trouble ticket number of the repair request. The Company will investigate customer requests for any SLA credits to determine the cause of any performance failures reported by the customer. The Company will investigate the customer's request over a period of up to 45 calendar days. The 45-day period will begin when the customer makes the request for credit with their **Company** Sales Representative. SLA credits will be provided to the customer if the Company determines that the Company had control over the circumstances causing the failure. (T)(M)

A40. FAST PACKET TRANSPORT SERVICES

A40.13 BellSouth Metro Ethernet Service (Cont'd)

(M)

A40.13.2 Terms and Conditions (Cont'd)

(M)

B. Basis of Offering (Cont'd)

(M)

6. Service Level Agreement for Premium Metro Ethernet Service (Cont'd)

(M)

d. SLA Credits for CNM - Metro Ethernet Reporting

(M)

The following credits will apply when the Company misses a Service Level Commitment (each credit is described in (1) thru (3)): (T)(M)

BellSouth Metro Ethernet Service Time-To-Repair

(M)

0 to 4 hours per incident – No Credit

(M)

Over 4 hours to 24 hours per incident – Credit 3 days MRC

(M)

Each additional 24-hour period, per incident – Credit additional 3 days MRC

(M)

BellSouth Metro Ethernet Service Network Availability – Credit 3 days MRC

(M)

BellSouth Metro Ethernet Service Network Latency – Credit 3 days MRC

(M)

The SLA credit amount will be determined by applying the credits outlined above to the rate elements or total billed revenues specified following. Credits for all SLAs for a calendar month cannot exceed the MRC for the BellSouth Metro Ethernet Service components. Credits are not provided for partial month service.

(M)

(1) BellSouth Metro Ethernet Service Time-To-Repair Credit - The Service Level Commitment measurement will be based on each individual trouble ticket for a Customer Connection. Multiple trouble tickets on the same day for the same Customer Connection will only be eligible for one time-to-repair credit. Credit will apply to all Monthly Recurring Charges associated with the affected customer connections. (M)

(2) BellSouth Metro Ethernet Service Network Availability Credit –The credit will apply for each BellSouth Metro Ethernet Service Connection that does not meet the availability commitment. Credit will apply to all Monthly Recurring Charges associated with the affected customer connections. BellSouth Metro Ethernet Networks that do not traverse the core network are not eligible for credits under the BellSouth Metro Ethernet Service Network Availability SLA. (M)

(3) BellSouth Metro Ethernet Service Network Latency Credit – The credit will apply for each Metro Ethernet Service Connection that does not meet the latency commitment. Credit will apply to all Monthly Recurring Charges associated with the affected customer connections. BellSouth Metro Ethernet Networks that do not traverse the core network are not eligible for credits under the BellSouth Metro Ethernet Service Network Latency SLA (M)

7. Service Level Agreement for Virtual BellSouth Metro Ethernet Service

(M)

BellSouth Metro Ethernet Service Level Agreements (SLAs) specify the Company's repair and performance commitments for CNM - Metro Ethernet Reporting customers. Credits are provided for missed commitments to Virtual customers purchasing the CNM - Metro Ethernet Reporting feature. Credits only apply for portions of service provided by the Company. The following service measurements will outline the service levels the Company will deliver to CNM - Metro Ethernet Reporting customers with Virtual Metro Ethernet Connections. SLAs will be applied on a per Class of Service (CoS) basis for Virtual Connections; traffic representing the different CoS (i.e., Real-Time, Interactive, Business Critical and Best Effort) transported across the same Virtual Connection will have different SLAs. Details of the technical measurements and performance results methodologies for each commitment are provided in BellSouth Technical Reference TR-73632. (M)

Repair

(M)

- BellSouth Metro Ethernet Service Time-to-Repair¹

(M)

- Repair commitments are measured on a per occurrence basis for all CoS

(M)

Note 1: SLA not applicable if missed due to LightGate service or SMARTRing service outage where BellSouth Metro Ethernet Service is using LightGate service or SMARTRing service as alternate transport. (M)

A40. FAST PACKET TRANSPORT SERVICES

A40.13 BellSouth Metro Ethernet Service (*Cont'd*)

(T)

(M1)

A40.13.2 Terms and Conditions (*Cont'd*)

(M2)

B. Basis of Offering (*Cont'd*)

(M2)

7. Service Level Agreement for Virtual BellSouth Metro Ethernet Service

(M2)

BellSouth Metro Ethernet Service Level Agreements (SLAs) specify the Company's repair and performance commitments for CNM - Metro Ethernet Reporting customers. Credits are provided for missed commitments to Virtual customers purchasing the CNM - Metro Ethernet Reporting feature. Credits only apply for portions of service provided by the Company. The following service measurements will outline the service levels the Company will deliver to CNM - Metro Ethernet Reporting customers with Virtual Metro Ethernet Connections. SLAs will be applied on a per Class of Service (CoS) basis for Virtual Connections; traffic representing the different CoS (i.e., Real-Time, Interactive, Business Critical and Best Effort) transported across the same Virtual Connection will have different SLAs. Details of the technical measurements and performance results methodologies for each commitment are provided in BellSouth Technical Reference TR-73632.

(M2)

Repair

(M2)

- BellSouth Metro Ethernet Service Time-to-Repair¹
- Repair commitments are measured on a per occurrence basis for all CoS

(M2)

(M2)

Network Service Levels

(M2)

- BellSouth Metro Ethernet Service Network Availability
- BellSouth Metro Ethernet Service Network Latency²
- BellSouth Metro Ethernet Service Network Jitter^{2, 3}
- BellSouth Metro Ethernet Service Network Packet Delivery²
- Network Service Level Commitments are monthly performance measurements by CoS

(M2)

(M2)

(M2)

(M2)

(M2)

a. SLA Definitions:

(M2)

BellSouth Metro Ethernet Service Time-To-Repair

(M2)

- BellSouth Metro Ethernet Service Time-To-Repair measures the outage duration on a customer's connection for all CoS. This measure will require the customer to report the problem to the **Company** repair center.
- The repair interval will start with the time entered on the trouble ticket and end when fault is re-mediated. The Service Level Commitment measurement will be based on each individual trouble ticket for a Customer Connection. Time for scheduled maintenance windows does not count towards SLA threshold.

(T)(M2)

(M2)

BellSouth Metro Ethernet Service Network Availability

(M2)

- BellSouth Metro Ethernet Service Network Availability measures the percentage of time by CoS during a calendar month that the customer's service is unavailable on the core network. Core network is defined as being from the Ethernet switch serving the customer's A-end to the Ethernet switch serving the customer's B-end. Customer networks that do not traverse the core network (i.e., do not span more than one switch in the core network) are not eligible for the Network Availability SLA and one will not be provided.
- The Service Level Commitment will be calculated by CoS by measuring and summing the outage for each network component used by the customer, divided by the total number of components, times the total service time for a particular calendar month. Excluded from the outage time and service time are scheduled maintenance windows and time the network was unavailable due to circumstances outside the Company's control.

(M2)

(M2)

Note 1: SLA not applicable if missed due to LightGate service or SMARTRing service outage where BellSouth Metro Ethernet Service is using LightGate service or SMARTRing service as alternate transport.

(M2)

Note 2: SLA not applicable for Best Effort CoS.

(M2)

Note 3: SLA not applicable for Business Critical CoS.

(M2)

M1 - Material previously appearing on this page now appears on page(s) 9 and 10 of this section.

M2 - Material appearing on this page previously appeared on page(s) 25.1 of this section.

A40. FAST PACKET TRANSPORT SERVICES

A40.13 BellSouth Metro Ethernet Service (Cont'd)

A40.13.2 Terms and Conditions (Cont'd)

B. Basis of Offering (Cont'd)

7. Service Level Agreement for Virtual Metro Ethernet Service (Cont'd)

a. SLA Definitions: (Cont'd)

BellSouth Metro Ethernet Service Network Latency -

- BellSouth Metro Ethernet Service Network Latency measures average one-way delay in milliseconds within the core network. Core Network is defined as being from the Ethernet switch serving the customer's A-end to the Ethernet switch serving the customer's B-end. Customer networks that do not span more than one switch in the core network are not eligible for the Network Latency SLA and one will not be provided.
- The Service Level Commitment will be calculated for each CoS (except the Best Effort CoS) by averaging the measured latency for each eligible CoS within the Metro Ethernet Customer Network between each pair of connections over a thirty-day period.

BellSouth Metro Ethernet Service Network Jitter -

- BellSouth Metro Ethernet Service Network Jitter measures the average variability, measured in time (milliseconds) between the actual packet transmission rate and the expected packet transmission rate with the core network for Interactive and Real-Time CoS. Core Network is defined as being from the Ethernet switch serving the customer's A-end to the Ethernet switch serving the customer's B-end. Customer networks that do not span more than one switch in the core network are not eligible for the Network Jitter SLA and one will not be provided.
- The Service Level Commitment will be calculated for the Interactive CoS and Real-Time CoS by averaging the measured jitter of simulated traffic for each of the customer's eligible CoS queue within the Metro Ethernet Customer Network between each pair of connections over a thirty-day period.

BellSouth Metro Ethernet Service Network Packet Delivery -

- BellSouth Metro Ethernet Service Network Packet Delivery measures the percentage of packets conforming to the committed bandwidth profile that are delivered across the core network, without being dropped or lost as a result of a fault within the Virtual Ethernet network. Core Network is defined as being from the Ethernet switch serving the customer's A-end to the Ethernet switch serving the customer's B-end. Customer networks that do not span more than one switch in the core network are not eligible for the Network Packet Delivery SLA and one will not be provided.
- The Service Level Commitment will be calculated for each CoS (except the Best Effort CoS) by averaging the measured packet delivery for each eligible CoS within the Metro Ethernet Customer Network between each pair of connections over a thirty-day period.

Page 20.1 is hereby deleted in its entirety and removed from this Guidebook

(M1)

(M2)

(M2)

(M2)

(M2)

(M2)

(M2)

(M2)

(M2)

(M2)

(M2)

(M2)

(M2)

(N)

A40. FAST PACKET TRANSPORT SERVICES

A40.13 BellSouth Metro Ethernet Service (Cont'd)

A40.13.2 Terms and Conditions (Cont'd)

B. Basis of Offering (Cont'd)

7. Service Level Agreement for Virtual Metro Ethernet Service (Cont'd)

b. The Company's Service Level Commitments for Virtual BellSouth Metro Ethernet Service are as follows:

- BellSouth Metro Ethernet Service Time-To-Repair :

. Best Effort CoS: 4 hours or less

. Business Critical CoS: 4 hours or less

. Interactive CoS: 4 hours or less

. Real-Time CoS: 4 hours or less

- BellSouth Metro Ethernet Service Network Availability :

. Best Effort CoS: 99.500% or greater

. Business Critical CoS: 99.995% or greater

. Interactive CoS: 99.995% or greater

. Real-Time CoS: 99.995% or greater

- BellSouth Metro Ethernet Service Network Latency (one-way) :

. Best Effort CoS: Not Applicable

. Business Critical CoS: 15 milliseconds or less

. Interactive CoS: 5 milliseconds or less

. Real-Time CoS: 5 milliseconds or less

- BellSouth Metro Ethernet Service Network Jitter :

. Best Effort CoS: Not Applicable

. Business Critical CoS: Not Applicable

. Interactive CoS: 1 millisecond or less

. Real-Time CoS: 1 millisecond or less

- BellSouth Metro Ethernet Service Network Packet Delivery :

. Best Effort CoS: Not Applicable

. Business Critical CoS: 99.900% or greater

. Interactive CoS: 99.950% or greater

. Real-Time CoS: 99.995% or greater

Pages 21.1 and 21.2 are hereby deleted in their entirety and removed from this Guidebook

(N)

A40. FAST PACKET TRANSPORT SERVICES

A40.13 BellSouth Metro Ethernet Service (Cont'd)

A40.13.2 Terms and Conditions (Cont'd)

B. Basis of Offering (Cont'd)

7. Service Level Agreement for Virtual Metro Ethernet Service (Cont'd)

c. SLA Restrictions

- The Company will implement SLA provisioning restrictions that will define customer network design requirements and limitations to *the Company's* commitment to meet Service Levels for BellSouth Metro Ethernet Service. The customer network design requirements are as follows: (T)(M2)
- A customer must subscribe to the Metro Ethernet Virtual Service with CNM - Metro Ethernet Reporting to receive credits for missed Service Level Commitments. (M2)
- Credits are not provided for partial month service. (M2)
- A customer's account must be current to receive a credit. (M2)

SLA credits do not apply when any stated objective is not met because the Company does not have control over the circumstances causing the objective to be missed. Situations over which the Company does not have control include, but are not limited to, the following: (M2)

- any act, any omission or negligence on the part of the customer, any other customer or any third party, or of any other entity providing a portion of the service, (M2)
- labor difficulties, governmental orders, civil commotions, declared National Emergencies, criminal actions against the Company, acts of God, war, or other circumstances beyond the Company's control, (M2)
- the customer's premises equipment, and (M2)
- unavailability of the customer's facilities and/or equipment including customer-provided power and environmental conditions for *Company*-owned and operated equipment located on the customer's premise. (T)(M2)

The customer must request a credit within one calendar month of the Company missing a BellSouth Metro Ethernet Service Level Commitment. A customer request for a Network Service Level SLA credit must be submitted on a standard request form issued by the Company that includes the month the SLA commitment was missed, accurate identification of the affected circuit, and the observed measurement of the specific SLA that was missed. A customer request for a Repair SLA credit must be submitted on a standard request form issued by the Company that includes the month the SLA commitment was missed, accurate identification of the affected circuit, and the trouble ticket number of the repair request. The Company will investigate customer requests for any SLA credits to determine the cause of any performance failures reported by the customer. The Company will investigate the customer's request over a period of up to 45 calendar days. The 45-day period will begin when the customer makes the request for credit with their *Company* Sales Representative. SLA credits will be provided to the customer if the Company determines that the Company had control over the circumstances causing the failure. (T)(M2)

Page 22.1 is hereby deleted in its entirety and removed from this Guidebook

(N)

A40. FAST PACKET TRANSPORT SERVICES

A40.13 BellSouth Metro Ethernet Service (Cont'd)

A40.13.2 Terms and Conditions (Cont'd)

B. Basis of Offering (Cont'd)

7. Service Level Agreement for Virtual Metro Ethernet Service (Cont'd) (M1)
- d. SLA Credits for CNM - Metro Ethernet Reporting (M2)

The following credits will apply when the Company misses a Service Level Commitment (each credit is described in (1) thru (3)). A maximum of one credit will be applied monthly per Connection for an SLA not met for any CoS that is supported by the customer's CoS profile (i.e., a maximum of one credit is applicable for an SLA even if missed for multiple CoS). (T)(M2)

BellSouth Metro Ethernet Service Time-To-Repair (M2)

 - 0 to 4 hours per incident – No Credit (M2)
 - Over 4 hours to 24 hours per incident – Credit 3 days MRC (M2)
 - Each additional 24-hour period, per incident – Credit additional 3 days MRC (M2)

BellSouth Metro Ethernet Service Network Availability – Credit 3 days MRC (M2)

BellSouth Metro Ethernet Service Network Latency – Credit 3 days MRC (M2)

BellSouth Metro Ethernet Service Network Jitter – Credit 3 days MRC (M2)

BellSouth Metro Ethernet Service Network Packet Delivery – Credit 3 days MRC (M2)

The SLA credit amount will be determined by applying the credits outlined above to the rate elements or total billed revenues specified following. Credits for all SLAs for a calendar month cannot exceed the MRC for the BellSouth Metro Ethernet Service components. Credits are not provided for partial month service. (M2)

 - (1) BellSouth Metro Ethernet Service Time-To-Repair Credit - The Service Level Commitment measurement will be based on each individual trouble ticket for a Customer Connection. Multiple trouble tickets on the same day for the same Customer Connection will only be eligible for one time-to-repair credit. Credit will apply to all Monthly Recurring Charges associated with the affected customer connections. (M2)
 - (2) BellSouth Metro Ethernet Service Network Availability Credit –The credit will apply for each BellSouth Metro Ethernet Service Connection that does not meet the availability commitment. Credit will apply to all Monthly Recurring Charges associated with the affected customer connections. (M2)
 - (3) BellSouth Metro Ethernet Service Network Latency Credit – The credit will apply for each Metro Ethernet Service Connection that does not meet the latency commitment for any eligible CoS. Credit will apply to all Monthly Recurring Charges associated with the affected customer connections. BellSouth Metro Ethernet Networks that do not traverse the core network are not eligible for credits under the BellSouth Metro Ethernet Service Network Latency SLA (M2)
 - (4) BellSouth Metro Ethernet Service Network Jitter Credit –The credit will apply for each BellSouth Metro Ethernet Service Connection that does not meet the jitter commitment for any eligible CoS. Credit will apply to all Monthly Recurring Charges associated with the affected customer connections. BellSouth Metro Ethernet Networks that do not traverse the core network are not eligible for credits under the BellSouth Metro Ethernet Service Network Jitter SLA. (M2)
 - (5) BellSouth Metro Ethernet Service Network Packet Delivery Credit –The credit will apply for each BellSouth Metro Ethernet Service Connection that does not meet the packet delivery commitment for any eligible CoS. Credit will apply to all Monthly Recurring Charges associated with the affected customer connections. BellSouth Metro Ethernet Networks that do not traverse the core network are not eligible for credits under the BellSouth Metro Ethernet Service Network Packet Delivery SLA. (M2)

A40. FAST PACKET TRANSPORT SERVICES

A40.13 BellSouth Metro Ethernet Service (Cont'd)

A40.13.2 (Cont'd)

B. Basis of Offering (Cont'd)

8. SLA Credits for Core Trunk Automatic Failover

- a. For service outages greater than 30 seconds within a BellSouth Metro Ethernet core network associated with a metropolitan area in which core trunk protection has been deployed, and where the customer has subscribed to the Core Trunk Automatic Failover optional feature for Basic, Premium or Virtual BellSouth Metro Ethernet Arrangements, a service outage credit equal to 50% of the monthly recurring charge for a Metro Ethernet Connection associated with the Core Trunk Automatic Failover optional feature shall apply. Only one such credit shall apply per bill period. This credit is independent from any other BellSouth Metro Ethernet Service SLA credit, i.e., the other BellSouth Metro Ethernet Service Network SLA credits are based on the parameters for the respective SLA(s) and do not relate nor apply in combination with the Core Trunk Automatic Failover SLA credit.

b. SLA Restrictions

The Company will implement SLA provisioning restrictions that will define customer network design requirements and limitations to **the Company's** commitment to meet Service Levels for BellSouth Metro Ethernet Service. The customer network design requirements are as follows:

- Credits are not provided for partial month service.
- A customer's account must be current to receive a credit.

SLA credits do not apply when any stated objective is not met because the Company does not have control over the circumstances causing the objective to be missed. Situations over which the Company does not have control include, but are not limited to, the following:

- any act, any omission or negligence on the part of the customer, any other customer or any third party, or of any other entity providing a portion of the service,
- labor difficulties, governmental orders, civil commotions, declared National Emergencies, criminal actions against the Company, acts of God, war, or other circumstances beyond the Company's control,
- the customer's premises equipment, and
- unavailability of the customer's facilities and/or equipment including customer-provided power and environmental conditions for BellSouth-owned and operated equipment located on the customer's premise.

The customer must request a credit within one calendar month of the Company missing a BellSouth Metro Ethernet Service Level Commitment. A customer request for a Network Service Level SLA credit must be submitted on a standard request form issued by the Company that includes the month the SLA commitment was missed, accurate identification of the affected circuit, and the observed measurement of the specific SLA that was missed. A customer request for a Repair SLA credit must be submitted on a standard request form issued by the Company that includes the month the SLA commitment was missed, accurate identification of the affected circuit, and the trouble ticket number of the repair request. The Company will investigate customer requests for any SLA credits to determine the cause of any performance failures reported by the customer. The Company will investigate the customer's request over a period of up to 45 calendar days. The 45-day period will begin when the customer makes the request for credit with their **Company** Sales Representative. SLA credits will be provided to the customer if the Company determines that the Company had control over the circumstances causing the failure.

A40. FAST PACKET TRANSPORT SERVICES

A40.13 BellSouth Metro Ethernet Service (Cont'd)

A40.13.2 Terms and Conditions (Cont'd)

- | | | |
|----|---|---------|
| | | (M1) |
| C. | Provision of Service | (M2) |
| 1. | Rates and charges contained in this section consist of the following elements: | (M2) |
| a. | Basic BellSouth Metro Ethernet Service Connection | (M2) |
| b. | Premium BellSouth Metro Ethernet Service Connection | (M2) |
| c. | Virtual BellSouth Metro Ethernet Service Connection | (M2) |
| d. | BellSouth Metro Ethernet Service Additional Mileage Charges | (M2) |
| e. | Priority Plus | (M2) |
| f. | Q-Forwarding | (M2) |
| g. | VLAN Aggregation | (M2) |
| h. | CNM - Metro Ethernet Reporting | (M2) |
| i. | Class of Service (CoS) Profile | (M2) |
| j. | Automatic Protection Switching (APS) | (M2) |
| k. | Service Reconfiguration | (M2) |
| l. | System Reconfiguration | (M2) |
| 2. | All service connection charges for BellSouth Metro Ethernet Service are included in the respective nonrecurring charges specified herein. | (M2) |
| 3. | BellSouth Metro Ethernet Service Connections are provided utilizing various Ethernet equipment configurations referred to herein as "physical service types". The physical service type of each BellSouth Metro Ethernet Connection is provided in the chart in A40.13.2.C.4. | (T)(M2) |
| | A hierarchy of the various BellSouth Metro Ethernet Service Connections by capability (i.e., basic, premium or virtual) and speed is provided in the chart in A40.13.2.C.4. This chart provides a higher order of service ranking that is utilized to determine the appropriate nonrecurring charge for reconfiguration requests. | (T)(M2) |

Pages 25.1 through 25.6 are hereby deleted in their entirety and removed from this Guidebook

(N)

A40. FAST PACKET TRANSPORT SERVICES

A40.13 BellSouth Metro Ethernet Service (Cont'd)

A40.13.2 Terms and Conditions (Cont'd)

C. Provision of Service (Cont'd)

4. The following informational chart provides the physical service type of each BellSouth Metro Ethernet Connection and provides the other BellSouth Metro Ethernet Connections which are considered to be a higher order of service (i.e., the BellSouth Metro Ethernet Service hierarchy).

Metro Ethernet Connection (Mbps):	Physical Service Type:	Higher Order of Service (Mbps):	
- Basic 2	Basic 0	Basic 4,8,10,100,1000; Premium ¹ 2, 4, 8,10,20,50,100,250,500,1000; Virtual 2,4,8,10,20,50,80,100,200,300,450,600,750,900,1000	(M2)
- Basic 4	Basic 0	Basic 8,10,100,1000; Premium ¹ 4, 8,10,20,50,100,250,500,1000; Virtual 4,8,10,20,50,80,100,200,300,450,600,750,900,1000	(M2)
- Basic 8	Basic 0	Basic 10,100,1000; Premium ¹ 8,10,20,50,100,250,500,1000; Virtual 8,10,20,50,80,100,200,300,450,600,750,900,1000	(M2)
- Basic 10	Basic I	Basic 100,1000; Premium ¹ 10,20,50,100,250,500,1000; Virtual 10,20,50,80,100,200,300,450,600,750,900,1000	(M2)
- Basic 100	Basic II	Basic 1000; Premium ¹ 100,250,500,1000; Virtual 80,100,200,300,450,600,750,900,1000	(M2)
- Basic 1000	Basic III	Premium ¹ 500,1000; Virtual 450,600,750,900,1000	(M2)
- Premium 2	Premium 0	Basic 100,1000; Premium ¹ 4,8,10,20,50,100,250,500,1000; Virtual 2,4,8,10,20,50,80,100,200,300,450,600,750,900,1000	(M2)
- Premium 4	Premium 0	Basic 100,1000; Premium ¹ 8,10,20,50,100,250,500,1000; Virtual 4,8,10,20,50,80,100,200,300,450,600,750,900,1000	(M2)
- Premium 8	Premium 0	Basic 100,1000; Premium ¹ 10,20,50,100,250,500,1000; Virtual 8,10,20,50,80,100,200,300,450,600,750,900,1000	(M2)
- Premium ¹ 10	Premium I	Basic 1000; Premium ¹ 20,50,100,250,500,1000; Virtual 10,20,50,80,100,200,300,450,600,750,900,1000	(M2)
- Premium ¹ 20	Premium I	Basic 1000; Premium ¹ 50,100, 250,500,1000; Virtual 20,50,80,100,200,300,450,600,750,900,1000	(M2)
- Premium ¹ 50	Premium I	Premium ¹ 100,250,500,1000; Virtual 50,80,100,200,300,450,600,750,900,1000	(M2)
- Premium ¹ 100	Premium II	Premium ¹ 250,500,1000; Virtual 100,200,300,450,600,750,900,1000	(M2)
- Premium ¹ 250	Premium II	Premium ¹ 500,1000; Virtual 300,450,600,750,900,1000	(M2)
- Premium ¹ 500	Premium II	Virtual 450,600,750,900,1000	(M2)
- Premium ¹ 1000	Premium II	Virtual 1000	(M2)
- Virtual 2	Virtual 0	Basic 100,1000; Premium ¹ 10,20,50,100,250,500,1000; Virtual 4,8,10,20,50,80,100,200,300,450,600,750,900,1000	(M2)
- Virtual 4	Virtual 0	Basic 100,1000; Premium ¹ 10,20,50,100,250,500,1000; Virtual 8,10,20,50,80,100,200,300,450,600,750,900,1000	(M2)
- Virtual 8	Virtual 0	Basic 100,1000; Premium ¹ 10,20,50,100,250,500,1000; Virtual 10,20,50,80,100,200,300,450,600,750,900,1000	(M2)
- Virtual 10	Virtual I	Basic 1000; Premium ¹ 20,50,100,250,500,1000; Virtual 20,50,80,100,200,300,450,600,750,900,1000	(M2)
- Virtual 20	Virtual I	Basic 1000; Premium ¹ 50,100,250,500,1000; Virtual 50,80,100,200,300,450,600,750,900,1000	(M2)
- Virtual 50	Virtual I	Basic 1000; Premium ¹ 100,250,500,1000; Virtual 80,100,200,300,450,600,750,900,1000	(M2)
- Virtual 80	Virtual I	Basic 1000; Premium ¹ 100,250,500,1000; Virtual 100,200,300,450,600,750,900,1000	(M2)
- Virtual 100	Virtual II	Premium ¹ 250,500,1000; Virtual 200,300,450,600,750,900,1000	(M2)
- Virtual 200	Virtual II	Premium ¹ 500,1000; Virtual 300,450,600,750,900,1000	(M2)
- Virtual 300	Virtual II	Premium ¹ 500,1000; Virtual 450,600,750,900,1000	(M2)
- Virtual 450	Virtual II	Virtual 600,750,900,1000	(M2)
- Virtual 600	Virtual II	Virtual 750,900,1000	(M2)
- Virtual 750	Virtual II	Virtual 900,1000	(M2)
- Virtual 900	Virtual II	None offered at this time	(M2)
- Virtual 1000	Virtual II	None offered at this time	(M2)

Note in the above chart that Basic 1 Gbps services are referred to as Basic 1000 Mbps.

Note 1: Fixed Mode or Burst Mode except Premium 1000 Mbps is only available as Fixed Mode.

M1 - Material previously appearing on this page now appears on page(s) 25 of this section.

M2 - Material appearing on this page previously appeared on page(s) 26.1 of this section.

A40. FAST PACKET TRANSPORT SERVICES

A40.13 BellSouth Metro Ethernet Service (Cont'd)

A40.13.2 Terms and Conditions (Cont'd)

C. Provision of Service (Cont'd)

5. Requests by a customer to change from one BellSouth Metro Ethernet Service arrangement to another BellSouth Metro Ethernet Service arrangement will be considered as reconfiguration change requests. Such reconfiguration changes are not treated as disconnects and do not change minimum period requirements. These requests must be for the same customer at the same location, and the service orders to accomplish the reconfiguration change requested must be related together and have no lapse in service.
 - a. A customer request to change an existing BellSouth Metro Ethernet Service arrangement to a new arrangement that is a different physical service type (per the hierarchy chart) is considered a system reconfiguration request.

If the new arrangement requested is a lower order of service, the System Reconfiguration Charge shall apply.

If the new arrangement requested is a higher order of service, nonrecurring charges shall not apply (i.e., the System Reconfiguration Charge is not applicable).
 - b. A customer request to change an existing BellSouth Metro Ethernet Service arrangement to a new arrangement that is the same physical service type (per the hierarchy chart) is considered a service reconfiguration request.

If the new arrangement requested is a lower order of service, the Service Reconfiguration Charge shall apply.

If the new arrangement requested is a higher order of service, nonrecurring charges shall not apply (i.e., the Service Reconfiguration Charge is not applicable).
6. A request to modify an existing BellSouth Metro Ethernet Connection as set forth following does not change the order of service or physical service type from the existing connection. Such a change is not treated as a disconnect, and there will be no change in the minimum period requirements.
 - a. A Premium BellSouth Metro Ethernet Connection-Fixed Mode and Premium BellSouth Metro Ethernet Connection-Burst Mode of the same speed are considered to be the same order of service and same physical service type. A Service Reconfiguration Charge is applicable for a customer request to reconfigure a Premium BellSouth Metro Ethernet Connection from Fixed Mode to Burst Mode (at the same speed), or vice versa; this nonrecurring charge is in lieu of the nonrecurring charge for the new connection.
 - b. A request to modify the CoS Profile on an existing Virtual BellSouth Metro Ethernet Connection is not considered as a request to change the order of service or physical service type. A Service Reconfiguration Charge is applicable for such a request.
7. **(DELETED)**
8. A System Reconfiguration Charge is applicable for a customer request to change the premises powering option (AC power to DC power, or vice versa) or NCTE signaling interface option (optical to electrical, or vice versa) on an existing BellSouth Metro Ethernet Connection. Such a change is not treated as a disconnect and there will be no change in the minimum period requirements.
9. Customers who subscribe to CNM - Metro Ethernet Reporting must monitor their entire BellSouth Metro Ethernet Network.

(D)

A40. FAST PACKET TRANSPORT SERVICES

A40.13 BellSouth Metro Ethernet Service (Cont'd)

A40.13.2 Terms and Conditions (Cont'd)

C. Provision of Service (Cont'd)

10. Automatic Protection Switching (APS) is an optional feature available, except as specified otherwise herein, to a customer with a Basic, Premium or Virtual BellSouth Metro Ethernet Service Connection of 10 Mbps or higher.¹ The APS feature provides customers with the option of having data channel survivability through the use of a secondary transport path that is diverse from the path provided with their primary Metro Ethernet Connection. This secondary transport path (i.e., data channel) is provided for a specific Metro Ethernet Connection (i.e., the primary) with the selection of the APS feature which then provides the customer with complete path protection. (M1)
(M2)
- With APS, the primary Metro Ethernet Connection's data channel is monitored for threshold violations or path failures with a fail-over to the secondary data channel path provided via the APS feature. The APS data channel is checked periodically to ensure its availability if a failure of the primary Metro Ethernet Connection's data channel occurs. (M2)
- APS may be ordered as a structurally diverse transport path (Structural Protection) or a route diverse transport path (Route Protection). (M2)
- Structural Protection APS is defined as the APS facility and the primary Metro Ethernet Connection facility being in separate sheaths in separate structures located along the same route (e.g., underground/underground, buried/underground, aerial/underground, aerial/buried, buried/buried, and aerial/aerial), or along different routes at the Company's discretion. (T)(M2)
- Route Protection APS is defined as the APS facility being in a separate sheath within alternate underground, aerial or direct buried structures that are run along separate physical paths from the facilities associated with the primary Metro Ethernet Connection. No precise distance separation is specified between the paths; although the separation is sufficient to preclude one disruptive event from affecting both routes. (M2)
- The APS feature is billed based upon the actual total route miles in a customer's specific Structural Protection APS or Route Protection APS design as determined by the Company. The term "route miles" is defined for this application to be the actual physical distance or length (not airline mileage), rounded up to the next whole mile, of the unique APS facility designed for each individual customer premises. Total route miles are measured between the customer premises and its serving wire center, plus route miles between the serving wire center and any intermittent wire centers in the path designed to reach the BellSouth Metro Ethernet wire center associated with the primary Metro Ethernet Connection (i.e., the wire center where the BellSouth Metro Ethernet switching equipment is located). For situations where a BellSouth Metro Ethernet customer utilizes SMARTRing service, or BellSouth Wavelength Dedicated Ring service as an alternate means of transport, the route miles between the central office node location and the BellSouth Metro Ethernet Connection wire center for these services shall be included as a part of the total "route miles" described above. (T)(M2)
- The APS rate element provides the alternate data channel transport and APS equipment in the BellSouth Metro Ethernet Service wire center associated with the primary Metro Ethernet Connection. Actual total route mileage for the customer's APS design is determined from a Service Inquiry. The route mileage determined from this Company Service Inquiry is used for billing purposes and is the sole determinant of such mileage (i.e., not subject to dispute). (T)(M2)

Note 1: Automatic Protection Switching (APS) is not available for a 2 Mbps, 4 Mbps or 8 Mbps Basic, Premium or Virtual Connection. (M2)

M1 - Material previously appearing on this page now appears on page(s) 26.1 of this section.

M2 - Material appearing on this page previously appeared on page(s) 26.3 of this section.

A40. FAST PACKET TRANSPORT SERVICES

A40.13 BellSouth Metro Ethernet Service (Cont'd)

A40.13.2 Terms and Conditions (Cont'd)

C. Provision of Service (Cont'd)

11. Basic, Premium and Virtual BellSouth Metro Ethernet Service Connections of 10 Mbps or higher may alternatively be provided to a customer premises over the customer's LightGate service or SMARTRing service. (M1)
- The customer is required to purchase the appropriate LightGate service or SMARTRing service BellSouth Metro Ethernet Backbone interfaces that are a bandwidth equal to the bandwidth of the BellSouth Metro Ethernet Service backbone transport that is standard for the specific type and speed of BellSouth Metro Ethernet Service Connection serving that customer premises. A chart is provided herein which sets forth the backbone bandwidth of each type and speed of BellSouth Metro Ethernet Service Connection. Standard BellSouth Metro Ethernet Service features are available on such alternative arrangements, with the exception that Automatic Protection Switching is not available. (M2)
- For such applications using LightGate service or SMARTRing service as alternate transport, the BellSouth Metro Ethernet Service Connection will provide data channel transport to connect the termination of the LightGate service or SMARTRing service at the central office node, to the BellSouth Metro Ethernet Service wire center associated with the BellSouth Metro Ethernet Service Connection (i.e., the central office of the Metro Ethernet Service switch). (M2)
- When the LightGate service or SMARTRing service central office node is located greater than 10 miles from the BellSouth Metro Ethernet Service wire center, BellSouth Metro Ethernet Service Additional Mileage charges will also be applicable. (M2)
- Metro Ethernet connections to SMARTRing can be either point-to-point or they can connect to Basic Shared Ethernet LAN service via Metro Ethernet Access Links. (M2)
- For BellSouth Metro Ethernet Service Connections utilizing the customer's LightGate service or SMARTRing service as alternate transport, the committed bandwidth for select speeds will be as shown in BellSouth Technical Reference TR-73632. (M2)

Point-to-Point Metro Ethernet Connection to SMARTRing Service	
<u>Metro Ethernet Connection</u>	<u>Metro Ethernet Backbone Bandwidth</u>
Basic 10 Mbps	100 Mbps (1 STS-1)
Basic 100 Mbps	100 Mbps (3 STS-1)
Basic 1000 Mbps	1000 Mbps
Premium 10, 20, 50 Mbps (Fixed)	100 Mbps (1 STS-1)
Premium 10, 20, 50 Mbps (Burst)	100 Mbps (3 STS-1)
Premium 100 Mbps (Fixed)	Fractional 1000 Mbps at 150 Mbps
Premium 250 Mbps (Fixed)	Fractional 1000 Mbps at 300 Mbps
Premium 500 Mbps (Fixed)	Fractional 1000 Mbps at 600 Mbps
Premium 100, 250, 500 Mbps (Burst)	1000 Mbps
Virtual 10, 20, 50 Mbps	100 Mbps (1 STS-1)
Virtual 80 Mbps	100 Mbps (3 STS-1)
Virtual 100 Mbps	Fractional 1000 Mbps at 150 Mbps
Virtual 200, 300 Mbps	Fractional 1000 Mbps at 300 Mbps
Virtual 450 Mbps	Fractional 1000 Mbps at 450 Mbps
Virtual 600 Mbps	Fractional 1000 Mbps at 600 Mbps
Virtual 750, 900 Mbps	1000 Mbps

M1 - Material previously appearing on this page now appears on page(s) 26.2 of this section.

M2 - Material appearing on this page previously appeared on page(s) 26.4 of this section.

A40. FAST PACKET TRANSPORT SERVICES

A40.13 BellSouth Metro Ethernet Service (Cont'd)

A40.13.2 Terms and Conditions (Cont'd)

C. Provision of Service (Cont'd)

12. As of June 15, 2009, Metro Ethernet customers will be able to use SMARTRing as a transport facility and connect to the Basic Shared Ethernet LAN service Virtual Packet Ring (VPR) via Metro Ethernet Access Links. The Virtual Packet ring creates a dedicated allotment of synchronous transmission signals (STS1's) on the SMARTRing that are connected via the Metro Ethernet Access Links. This combination of VPR and Access Links with the Metro Ethernet circuit will create a multi-point circuit on the SMARTRing. All Metro Ethernet transmissions will be broadcast to all Metro Ethernet Access Links associated with the specific VPR. Metro Ethernet Access Links are considered Layer 1 ports on the SMARTRing and do not interact with Layer 2 information transmitted by the Metro Ethernet switch, specifically Class of Service, priority or 802.1q. This Metro Ethernet Layer 2 information will pass through the Metro Ethernet Access Links to the customer equipment. (M1)

The connection at the Central Office between Metro Ethernet and SMARTRing is Optical. The mixing of Access Link traffic and Metro Ethernet Access Link traffic on the same VPR is not supported. When the customer requests conversion of Access Links to Metro Ethernet Access Links, an out of service condition will occur until the conversion is complete, and the service will not be available for use during this time. (M2)

Reconfiguration associated with Customer Network Management will not be allowed on Metro Ethernet Access Links. (M2)

Additional rules for connecting Metro Ethernet to SMARTRing service are stated in *the Private Line Guidebook, paragraph B7.7.7.* (T)(M2)

Metro Ethernet connections to SMARTRing Metro Ethernet Access Links are limited to the following connections and speeds: (M2)

<u>Metro Ethernet Connection</u>	<u>SMARTRing Metro Ethernet Access Link Fractional 1000 Mbps at – Central Office</u>	<u>SMARTRing Metro Ethernet Access Link Fractional 1000 Mbps at – Customer Premises</u>
Basic 1000 Mbps	1000 Mbps	1000 Mbps
Premium 100 Mbps Optical (Fixed)	150 Mbps	150 Mbps
Premium 250 Mbps (Fixed)	300 Mbps	300 Mbps
Premium 500 Mbps (Fixed)	600 Mbps	600 Mbps
Premium 100, 250, 500, 900 Mbps (Burst)	1000 Mbps	1000 Mbps
Premium 900 Mbps, 1000 Mbps	1000 Mbps	1000 Mbps
Virtual Ethernet Service 100 Mbps	150 Mbps	150 Mbps
Virtual Ethernet Service 200 Mbps	300 Mbps	300 Mbps
Virtual Ethernet Service 300 Mbps	300 Mbps	300 Mbps
Virtual Ethernet Service 450 Mbps	450 Mbps	450 Mbps
Virtual Ethernet Service 600 Mbps	600 Mbps	600 Mbps
Virtual Ethernet Service 750, 900, 1000 Mbps	1000 Mbps	1000 Mbps

Page 26.4.1 is hereby deleted in its entirety and removed from this Guidebook

M1 - Material previously appearing on this page now appears on page(s) 26.3 of this section.

M2 - Material appearing on this page previously appeared on page(s) 26.4.1 of this section.

A40. FAST PACKET TRANSPORT SERVICES**A40.13 BellSouth Metro Ethernet Service (Cont'd)****A40.13.2 Terms and Conditions (Cont'd)****C. Provision of Service (Cont'd)****13. (DELETED)**

(D)

14. In some cases, the Company and an Independent Telephone Company (ICO) may agree to jointly provide a customer Metro Ethernet Service. The rates and charges for the BellSouth Metro Ethernet Service Connection are applicable for such connectivity; charges for BellSouth Metro Ethernet Additional Mileage are also applicable when the mileage from the Company/ICO meet-point to the BellSouth Metro Ethernet wire center associated with the service is over 10 miles. The Company is only responsible for the ordering, provisioning, maintaining and billing of such service up to the meet-point (i.e., demarcation point with the ICO). BellSouth Metro Ethernet Service SLA credits shall only be applicable for the portion of the service provided within the territory of the Company; such credits are appropriate only for missed commitments determined to be the fault of the Company.

A40. FAST PACKET TRANSPORT SERVICES

A40.13 BellSouth Metro Ethernet Service (Cont'd)

A40.13.2 Terms and Conditions (Cont'd)

C. Provision of Service (Cont'd)

15. Core Trunk Automatic Failover (CTAF) is an optional feature that is available, where facilities exist for Basic, Premium and Virtual BellSouth Metro Ethernet Arrangements. The CTAF feature provides customers with the option of having an Automatic Failover SLA on the data channel survivability between Bellsouth Metro Ethernet wire centers within a BellSouth Metro Ethernet core network area through the use of a secondary transport path.

If a Metro Ethernet Connection talks to only one other Metro Ethernet Connection (a Point-to-Point network configuration), the CTAF feature is billed based upon the actual total airline miles in a customer's specific CTAF design, as determined by the Company. The term "airline miles" is defined for this application to be the airline distance or length rounded up to the next whole mile, of the unique CTAF facility designed for each individual customer's service configuration. Total airline miles are measured between the BellSouth Metro Ethernet core network wire centers associated with the customer's service.

If a Metro Ethernet Connection talks to more than one other Metro Ethernet Connection (such as a Point-to-Multipoint or Multipoint-to-Multipoint network configuration), the CTAF feature is billed once on the Metro Ethernet Connection at the 'greater than 25 through 35 airline miles' rate basis.

D. Contract Plans

1. Contract plans are available under conditions specified in the Fast Packet Services Payment Plan in A40.10, with contract periods described as follows:
 - a. Term Payment Plan A - payment periods may be selected from twelve (12) to thirty-six (36) months.
 - b. Term Payment Plan B - payment periods may be selected from thirty-seven (37) to sixty (60) months.²
2. **(DELETED)**
3. The auto renewal clause described under the Fast Packet Services Payment Plan in A40.10.6.A.4 is not applicable to BellSouth Metro Ethernet Service.

(D)

E. Moves

1. A move involves a change in the physical location of one of the following:
 - a. The point of interface at the customer premises.
 - b. The customer's premises.
2. The charges for the move are dependent on whether the move is to a new location within the same building or to a different building.
 - a. Moves Within the Same Building

When the move is to a new location within the same building, the charge for the move will be an amount equal to one half the nonrecurring (i.e., installation) charge for the affected service termination at the customer's premises. There will be no change in the minimum period requirements.
 - b. To a Different Building

Moves to a different building, other than addressed in 3 will be treated as a disconnect at the existing location and all associated nonrecurring charges will apply at the new location. The customer will remain responsible for satisfying the remainder of the existing contract.¹
3. Moves of Service under Fast Packet SPP

Customer requests for moves of service under Fast Packet SPP, other than inside moves, will be subject to the conditions stated in A40.10.11.

Note 1: Such moves of Metro Ethernet Service with Automatic Protection Switching (APS) shall additionally incur the full nonrecurring charge for establishing the APS feature at the new premises (as a new APS design will be required). The APS monthly recurring charge may change as appropriate based upon the actual route mileage associated with the new premises' APS design.

Note 2: Effective November 15, 2013, customers may not establish new term plans greater than 36 months for BellSouth Metro Ethernet Service, and existing term plans greater than 36 months may not be renewed or extended for a term greater than 36 months.

A40. FAST PACKET TRANSPORT SERVICES

A40.13 BellSouth Metro Ethernet Service (Cont'd)

A40.13.2 Terms and Conditions (Cont'd)

F. Migration to AT&T Switched Ethernet Service

Customers subscribing to BellSouth Metro Ethernet Service may migrate to AT&T Switched Ethernet Service provided by the Company without incurring termination liability, subject to the following conditions: (T)

1. The new AT&T Switched Ethernet Service and the existing BellSouth Metro Ethernet Service must be billed to the same customer of record at the same customer locations. (T)
2. The customer's existing service must have been in place for at least 12 months. (T)
3. The minimum term for the new service must be at least 12 months and must be equal to or greater than the number of months remaining in the customer's existing Fast Packet Services Payment Plan (FPSPP) term. (T)
4. The speed (capacity/bandwidth) of the new service must be equal to or greater than that of the existing service. (T)
5. The customer must issue a disconnect order for the replaced BellSouth Metro Ethernet Service to be effective within 90 days after the AT&T Switched Ethernet Service installation date. The disconnect and new orders must be coordinated through the Company. (T)
6. If overlapping service is required, the period will be limited to not more than 90 days and billing will apply to both services during the time both services are available. (T)

A40. FAST PACKET TRANSPORT SERVICES**A40.13 BellSouth Metro Ethernet Service (Cont'd)****A40.13.3 Rates and Charges**

	Nonrecurring Charge	Month to Month	12 to 36 Months	37 to 60 ¹ Months	USOC (C)
A. Basic BellSouth Metro Ethernet Service Arrangements					
1. 2 Mbps Basic Connection					
(a) per connection	\$1000.00	\$ 915.00	\$ 885.00	\$ 805.00	MTEBO
2. 4 Mbps Basic Connection					
(a) per connection	1000.00	960.00	930.00	850.00	MTEB1
3. 8 Mbps Basic Connection					
(a) per connection	1000.00	1125.00	1095.00	1015.00	MTEB2
4. 10 Mbps Basic Connection					
(a) per connection	1000.00	1210.00	1180.00	1100.00	MTEBA
5. 100 Mbps Basic Connection					
(a) per connection	1500.00	1880.00	1650.00	1570.00	MTEBB
6. 1 Gbps Basic Connection					
(a) per connection	2000.00	3750.00	3150.00	3030.00	MTEBC
B. Premium BellSouth Metro Ethernet Service Arrangements					
1. 2 Mbps Premium Connection					
(a) per connection, Fixed Mode	1000.00	1085.00	1055.00	975.00	MTEPO
2. 4 Mbps Premium Connection					
(a) per connection, Fixed Mode	1000.00	1125.00	1095.00	1015.00	MTEP1
3. 8 Mbps Premium Connection					
(a) per connection, Fixed Mode	1000.00	1295.00	1265.00	1185.00	MTEP2
4. 10 Mbps Premium Connection					
(a) per connection, Fixed Mode	1000.00	1380.00	1350.00	1270.00	MTEP3
(b) per connection, Burst Mode	1000.00	1656.00	1620.00	1524.00	MTEE3
5. 20 Mbps Premium Connection					
(a) per connection, Fixed Mode	1250.00	1590.00	1560.00	1480.00	MTEP4
(b) per connection, Burst Mode	1250.00	1908.00	1872.00	1776.00	MTEE4
6. 50 Mbps Premium Connection					
(a) per connection, Fixed Mode	1250.00	1860.00	1670.00	1590.00	MTEP5
(b) per connection, Burst Mode	1250.00	2060.00	2004.00	1908.00	MTEE5
7. 100 Mbps Premium Connection					
(a) per connection, Fixed Mode	1500.00	2250.00	1820.00	1740.00	MTEP6
(b) per connection, Burst Mode	1500.00	2690.00	2184.00	2088.00	MTEE6
8. 250 Mbps Premium Connection					
(a) per connection, Fixed Mode	1750.00	2810.00	2640.00	2520.00	MTEP7
(b) per connection, Burst Mode	1750.00	3228.00	3168.00	3024.00	MTEE7
9. 500 Mbps Premium Connection					
(a) per connection, Fixed Mode	1750.00	3740.00	2990.00	2800.00	MTEP8
(b) per connection, Burst Mode	1750.00	4130.00	3504.00	3360.00	MTEE8
10. 1000 Mbps Premium Connection					
(a) per connection, Fixed Mode	1750.00	5090.00	4245.00	3860.00	MTEPT
C. (DELETED)					

Note 1: Effective November 15, 2013, customers may not establish new term plans greater than 36 months for BellSouth Metro Ethernet Service, and existing term plans greater than 36 months may not be renewed or extended for a term greater than 36 months. (N)

A40. FAST PACKET TRANSPORT SERVICES**A40.13 BellSouth Metro Ethernet Service (Cont'd)****A40.13.3 Rates and Charges (Cont'd)****D. Virtual BellSouth Metro Ethernet Service Arrangements¹**

	Nonrecurring Charge	Month to Month	12 to 36 Months	37 to 60² Months	USOC	(C)
1. 2 Mbps Virtual Connection						
(a) per connection	\$1000.00	\$ 732.00	\$ 708.00	\$ 644.00	MTEVO	
2. 4 Mbps Virtual Connection						
(a) per connection	1000.00	768.00	744.00	680.00	MTEV1	
3. 8 Mbps Virtual Connection						
(a) per connection	1000.00	900.00	876.00	812.00	MTEV2	
4. 10 Mbps Virtual Connection						
(a) per connection	1000.00	968.00	944.00	880.00	MTEV3	
5. 20 Mbps Virtual Connection						
(a) per connection	1000.00	1210.00	1092.00	1036.00	MTEV4	
6. 50 Mbps Virtual Connection						
(a) per connection	1000.00	1660.00	1290.00	1161.00	MTEV5	
7. 80 Mbps Virtual Connection						
(a) per connection	1000.00	1855.00	1445.00	1301.00	MTEV6	
8. 100 Mbps Virtual Connection						
(a) per connection	1500.00	2050.00	1600.00	1440.00	MTEV7	
9. 200 Mbps Virtual Connection						
(a) per connection	1500.00	2610.00	2050.00	1845.00	MTEV8	
10. 300 Mbps Virtual Connection						
(a) per connection	1500.00	2945.00	2420.00	2178.00	MTEV9	
11. 450 Mbps Virtual Connection						
(a) per connection	1500.00	3540.00	2790.00	2511.00	MTEVA	
12. 600 Mbps Virtual Connection						
(a) per connection	1750.00	4205.00	3325.00	2993.00	MTEVB	
13. 750 Mbps Virtual Connection						
(a) per connection	1750.00	4900.00	3880.00	3492.00	MTEVC	
14. 900 Mbps Virtual Connection						
(a) per connection	2000.00	5345.00	4425.00	3983.00	MTEVD	
15. 1000 Mbps Virtual Connection						
(a) per connection	2000.00	5610.00	4645.00	4180.00	MTEVE	
E. BellSouth Metro Ethernet Service Independent Company (ICO) Trunk Arrangements						
1. ICO Trunk Connection						
(a) per VLAN connection	1300.00	775.00	500.00	450.00	MTEGC	

Note 1: Each Virtual Connection requires the establishment of a Class of Service (CoS) profile.

Note 2: Effective November 15, 2013, customers may not establish new term plans greater than 36 months for BellSouth Metro Ethernet Service, and existing term plans greater than 36 months may not be renewed or extended for a term greater than 36 months. (N)

A40. FAST PACKET TRANSPORT SERVICES**A40.13 BellSouth Metro Ethernet Service (Cont'd)****A40.13.3 Rates and Charges (Cont'd)****F. BellSouth Metro Ethernet Service Additional Mileage**

	Monthly Charge	USOC	
1. BellSouth Metro Ethernet Service Additional Mileage, BellSouth Metro Ethernet Service arrangements greater than 10 through 25 airline miles			
(a) per 2 through 9 Mbps Connection	\$350.00	MTEMO	(T)
(b) per 10 through 99 Mbps Connection	370.00	MTEMA	
(c) per 100 through 499 Mbps Connection	460.00	MTEMB	
(d) per 500 Mbps through 1 Gbps Connection	560.00	MTEMC	
2. BellSouth Metro Ethernet Service Additional Mileage, BellSouth Metro Ethernet Service arrangements greater than 25 through 35 airline miles			
(a) per 2 through 9 Mbps Connection	585.00	MTEMD	(T)
(b) per 10 through 99 Mbps Connection	620.00	MTEME	
(c) per 100 through 499 Mbps Connection	780.00	MTEMF	
(d) per 500 Mbps through 1 Gbps Connection	930.00	MTEMG	
3. BellSouth Metro Ethernet Service Additional Mileage, BellSouth Metro Ethernet Service arrangements greater than 35 through 50 airline miles			
(a) per 2 through 9 Mbps Connection	925.00	MTEMH	(T)
(b) per 10 through 99 Mbps Connection	970.00	MTEMJ	
(c) per 100 through 499 Mbps Connection	1210.00	MTEMK	
(d) per 500 Mbps through 1 Gbps Connection	1460.00	MTEML	
G. BellSouth Metro Ethernet Service Independent Company (ICO) Trunk Additional Mileage Charges			
1. BellSouth Metro Ethernet Service ICO Trunk Additional Mileage, BellSouth Metro Ethernet Service ICO Trunk arrangements greater than 10 through 25 airline miles			
(a) per VLAN Connection	170.00	MTEM1	
2. BellSouth Metro Ethernet Service ICO Trunk Additional Mileage, BellSouth Metro Ethernet Service ICO Trunk arrangements greater than 25 through 35 airline miles			
(a) per VLAN Connection	420.00	MTEM2	
3. BellSouth Metro Ethernet Service ICO Trunk Additional Mileage, BellSouth Metro Ethernet Service ICO Trunk arrangements greater than 35 through 50 airline miles			
(a) per VLAN Connection	675.00	MTEM3	

A40. FAST PACKET TRANSPORT SERVICES**A40.13 BellSouth Metro Ethernet Service (Cont'd)****A40.13.3 Rates and Charges (Cont'd)****H. Priority Plus Feature¹**

		Nonrecurring Charge \$-	Month to Month \$125.00	12 to 36 Months \$100.00	37 to 60⁴ Months \$90.00	USOC MTETP	(C)
I.	(a) per connection Q-Forwarding Feature ¹						
1.	Q-forwarding Service Establishment Charge						
	(a) per connection	500.00	-	-	-	MTEQF	
2.	Q-Forwarding Network Assignment Charge						
	(a) per network, per connection	-	90.00	75.00	70.00	MTEQN	
J.	VLAN Aggregation Feature ²						
1.	VLAN Aggregation Service Establishment Charge						
	(a) per connection	500.00	-	-	-	MTEQE	
2.	VLAN Aggregation, Network Assignment Charge						
	(a) per VLAN, per connection	-	90.00	75.00	70.00	MTEQV	
K.	CNM - Metro Ethernet Reporting ³						
1.	CNM - Metro Ethernet Reporting Service Establishment Charge						
	(a) per customer account	250.00	-	-	-	CNMSE	
2.	CNM - Metro Ethernet Reporting Charge						
	(a) per connection	-	14.00	10.00	8.00	CNMME	
3.	CNM - Metro Ethernet Reporting Web Interface Charge						
	(a) first	-	-	-	-	CNMWF	
	(b) each additional	75.00	25.00	20.00	18.00	CNMWE	
4.	CNM - Metro Ethernet Reporting Security Card						
	(a) each	200.00	-	-	-	CNMSC	

Note 1: Optional feature only available with a Premium Connection.**Note 2:** Optional feature only available with a Virtual Connection.**Note 3:** Optional feature only available with a Premium Connection or a Virtual Connection.**Note 4:** Effective November 15, 2013, customers may not establish new term plans greater than 36 months for BellSouth Metro Ethernet Service, and existing term plans greater than 36 months may not be renewed or extended for a term greater than 36 months. (N)

A40. FAST PACKET TRANSPORT SERVICES**A40.13 BellSouth Metro Ethernet Service (Cont'd)****A40.13.3 Rates and Charges (Cont'd)****L. Class of Service (CoS) Profile¹****1. Real-Time CoS²**

	Month to	12 to 36	37 to 60³		(C)
	Month	Months	Months	USOC	
(a) 10%	\$ 54.00	\$ 54.00	\$ 54.00	MTETF	
(b) 20%	108.00	108.00	108.00	MTETG	
(c) 25%	135.00	135.00	135.00	MTETH	
(d) 30%	162.00	162.00	162.00	MTETJ	
(e) 35%	189.00	189.00	189.00	MTETK	
(f) 40%	216.00	216.00	216.00	MTETL	
(g) 50%	270.00	270.00	270.00	MTETM	
(h) 70%	378.00	378.00	378.00	MTETO	

2. Interactive CoS²

(a) 10%	45.00	45.00	45.00	MTEVF
(b) 20%	90.00	90.00	90.00	MTEVG
(c) 25%	112.00	112.00	112.00	MTEVH
(d) 30%	135.00	135.00	135.00	MTEVJ
(e) 35%	157.00	157.00	157.00	MTEVK
(f) 40%	180.00	180.00	180.00	MTEVL
(g) 50%	225.00	225.00	225.00	MTEVM

Note 1: Each Virtual Connection requires the designation of a CoS profile with desired percentages of each CoS selected. The sum of the percentages for all CoS selected for a Virtual Connection must sum to 100%.

Note 2: The combined CoS bandwidth percentages selected in a customer's Virtual Connection CoS profile for Real-Time CoS plus Interactive CoS may not exceed 50%, except where the customer selects the 70% Real-Time CoS bandwidth percentage and has no Interactive traffic.

Note 3: Effective November 15, 2013, customers may not establish new term plans greater than 36 months for BellSouth Metro Ethernet Service, and existing term plans greater than 36 months may not be renewed or extended for a term greater than 36 months. (N)

A40. FAST PACKET TRANSPORT SERVICES**A40.13 BellSouth Metro Ethernet Service (Cont'd)****A40.13.3 Rates and Charges (Cont'd)****L. Class of Service (CoS) Profile¹ (Cont'd)****3. Business Critical CoS**

	Month to	12 to 36	37 to 60²		(C)
	Month	Months	Months	USOC	
(a) 10%	\$ 27.00	\$ 27.00	\$ 27.00	MTEPF	
(b) 20%	54.00	54.00	54.00	MTEPG	
(c) 25%	67.00	67.00	67.00	MTEPH	
(d) 30%	81.00	81.00	81.00	MTEPJ	
(e) 35%	94.00	94.00	94.00	MTEPK	
(f) 40%	108.00	108.00	108.00	MTEPL	
(g) 50%	135.00	135.00	135.00	MTEPM	
(h) 60%	162.00	162.00	162.00	MTEPN	
(i) 75%	202.00	202.00	202.00	MTEPP	
(j) 90%	243.00	243.00	243.00	MTEPQ	
(k) 100%	270.00	270.00	270.00	MTEPR	

4. Best Effort CoS

(a) 10%	9.00	9.00	9.00	MTEBF
(b) 20%	18.00	18.00	18.00	MTEBG
(c) 25%	22.00	22.00	22.00	MTEBH
(d) 30%	27.00	27.00	27.00	MTEBJ
(e) 35%	31.00	31.00	31.00	MTEBK
(f) 40%	36.00	36.00	36.00	MTEBL
(g) 50%	45.00	45.00	45.00	MTEBM
(h) 60%	54.00	54.00	54.00	MTEBN
(i) 75%	67.00	67.00	67.00	MTEBP
(j) 90%	81.00	81.00	81.00	MTEBQ

Note 1: Each Virtual Connection requires the designation of a CoS profile with desired percentages of each CoS selected. The sum of the percentages for all CoS selected for a Virtual Connection must sum to 100%.

Note 2: Effective November 15, 2013, customers may not establish new term plans greater than 36 months for BellSouth Metro Ethernet Service, and existing term plans greater than 36 months may not be renewed or extended for a term greater than 36 months. (N)

A40. FAST PACKET TRANSPORT SERVICES

A40.13 BellSouth Metro Ethernet Service (Cont'd)

A40.13.3 Rates and Charges (Cont'd)

M. Automatic Protection Switching (APS) Feature¹: Selected to provide automatic protection switching in conjunction with a Basic, Premium or Virtual BellSouth Metro Ethernet Connection of 10 Mbps or higher. Applicable APS rate element based upon type of APS selected and actual total route miles ² (rounded up to next whole mile) based upon a customer-specific design as determined by the Company.					
1. Structural Protection					
		Nonrecurring Charge	Month to Month	12 to 36 Months	37 to 60³ Months
					USOC
(a)	per APS Arrangement of less than 10 route miles	\$ 1000.00	\$1900.00	\$1250.00	\$1092.00
(b)	per APS Arrangement of 10 through 25 route miles	1500.00	2145.00	1496.00	1301.00
(c)	per APS Arrangement of greater than 25 through 35 route miles	2000.00	2445.00	1798.00	1679.00
(d)	per APS Arrangement of greater than 35 through 50 route miles	2500.00	2900.00	2452.00	2376.00
2. Route Protection					
(a)	per APS Arrangement of less than 10 route miles	1500.00	2320.00	1470.00	1285.00
(b)	per APS Arrangement of 10 through 25 route miles	2000.00	2610.00	1760.00	1530.00
(c)	per APS Arrangement of greater than 25 through 35 route miles	2500.00	2965.00	2115.00	1975.00
(d)	per APS Arrangement of greater than 35 through 50 route miles	3000.00	3435.00	2885.00	2795.00
N. Optical Termination Charge: An electrical termination on the customer premises is standard for 2, 4 and 8 Mbps Basic, Premium and Virtual Connections. Therefore, an Optical Termination Charge applies when an optional optical termination is requested and provided for a 2, 4 or 8 Mbps Connection.					
1. Per Optional Optical Termination					
(a)	per connection	-	30.00	30.00	30.00
O. Service Reconfiguration Charge					
(a)	per request, per connection	250.00	-	-	-
P. System Reconfiguration Charge					
(a)	per request, per connection	900.00	-	-	-
Note 1: Optional feature only available with a Basic, Premium or Virtual Connection of 10 Mbps or higher. (APS is not available for a 2 Mbps, 4 Mbps or 8 Mbps Basic, Premium or Virtual Connection.).					
Note 2: Per definition of route miles as provided in A40.13.2.C.11. preceding.					
Note 3: Effective November 15, 2013, customers may not establish new term plans greater than 36 months for BellSouth Metro Ethernet Service, and existing term plans greater than 36 months may not be renewed or extended for a term greater than 36 months.					

(C)

(N)

A40. FAST PACKET TRANSPORT SERVICES

A40.13 BellSouth Metro Ethernet Service (Cont'd)

A40.13.3 Rates and Charges (Cont'd)

- Q.** Core Trunk Automatic Failover (CTAF) Feature: Selected to provide an SLA for Core Trunk Automatic Failover protection between BellSouth Metro Ethernet core network wire centers in conjunction with Basic, Premium or Virtual Bellsouth Metro Ethernet Arrangements. The applicable CTAF rate element is based upon the actual total airline miles (rounded up to next whole mile) based upon a customer-specific design as determined by the Company.

	Nonrecurring Charge	Month to Month	12 to 36 Months	37 to 60¹ Months	USOC	(C)
(a) per CTAF Arrangement of less than 10 airline miles	\$500.00	\$525.00	\$450.00	\$325.00	MTEMP	
(b) per CTAF Arrangement of 10 through 25 airline miles	\$750.00	\$775.00	\$600.00	\$550.00	MTEMQ	
(c) per CTAF Arrangement of greater than 25 through 35 airline miles	\$1,000.00	\$1,200.00	\$950.00	\$800.00	MTEMR	
(d) per CTAF Arrangement of greater than 35 through 50 airline miles	\$1,250.00	\$1,550.00	\$1,250.00	\$1,000.00	MTEMS	
(e) per CTAF Arrangement of greater than 50 airline miles	\$1,250.00	\$2,200.00	\$1,750.00	\$1,450.00	MTEMT	

Note 1: Effective November 15, 2013, customers may not establish new term plans greater than 36 months for BellSouth Metro Ethernet Service, and existing term plans greater than 36 months may not be renewed or extended for a term greater than 36 months. (N)